

ISO14001 Cabinet Fire Suppression FM200 Maximum Protective Volume 272 Square Meters

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Place of Origin: Guangzhou, Guangdong, China
- Brand Name: RUIGANG
- Certification: CCC/ISO9001/ISO45001/ISO14001/ISO10012
- Model Number: GQQ150/2.5RG
- Minimum Order Quantity: 1 set
- Price: negotiation
- Packaging Details: We pack products with first polyfoam and then the wooden cases. Once products are too big or customers require a pallet for products, we will make products a pallet.
- Delivery Time: 10~15 working days
- Payment Terms: L/C, D/P, T/T, Western Union, Paypal, Credit card
- Supply Ability: 30000 sets / month



Because we are dedicated, we are professional.



Product Specification

- Discharge Time: 10 Seconds
- Working Pressure: 2.5MPa
- Electrical Requirements: 220V, 50Hz
- Maximum Protective Volume: 272 Square Meters
- Cabinet Material: Steel
- Cabinet Color: Red
- Alarm System: Included
- Cabinet Capacity: 150kg
- Highlight: iso14001 cabinet fire suppression, iso14001 fire suppression fm200, 272 square meters fire suppression fm200

Product Description

FM200 Cabinet Fire Extinguishing System Effective and Durable Fire Extinguishing

Product Description:

The cabinet fire extinguishing system comes in a bright red color, making it easy to locate and identify in emergency situations. It is equipped with a high-quality HFC-227ea extinguishing agent that is capable of quickly extinguishing fires without leaving any residue or causing damage to sensitive equipment. This makes it a pollution-free option for protecting valuable assets and critical infrastructure. The FM200 Cabinet Fire Extinguishing System requires an electrical supply of 220V, 50Hz, and is designed to operate within a working temperature range of 0°C to 50°C. It is easy to install and maintain, with a user-friendly interface that allows for quick and easy activation in case of fire.

Overall, the FM200 Cabinet Fire Extinguishing System is an excellent choice for protecting enclosed spaces against fire hazards. It is highly effective, pollution-free, and easy to use, making it a reliable option for anyone looking to safeguard their valuable assets and critical infrastructure.

Cabinet fm200 fire suppression system has a large number of advantages, and here is going to have a brief explanation:

1/ Swift response. Since there is no long distance transportation of pipes, so fm200 gas can be directly discharged into protection zone. Meanwhile, its spraying time is less than 8 second. So it will save more time relatively when the fire happens.

2/ Convenient installation. Compared with pipe network system, cabinet system would be relatively simple to conduct installation. After installation of control panels and electric components, left work is just to connect it with one cabinet fire extinguishing device or devices. But one room should not be matched with more than 4 pieces of it because of the limitation of the output current of a control panel.

3/ Lower cost. Obviously, the price would be cheaper than pipe network type for the protection zone which just needs one single cylinder, because there is no need to consider about the expense of pipes and pipe fittings, also the cost of manpower for this part.



Features:

Product Name: FM200 Cabinet Fire Extinguishing System (HFC-227ea)

Discharge Time: 10 Seconds

Activation Method: Manual/Automatic

Cabinet Color: Red

Electrical Requirements: 220V, 50Hz

Cabinet Capacity: 150kg

Technical Parameters:

Extinguishing Agent:	HFC-227ea (FM200)
Maximum Protective Volume:	272 Square Meters
Discharge Time:	10 Seconds
Working Pressure:	2.5MPa
Cabinet Color:	Red
Activation Method:	Manual/Automatic
Electrical Requirements:	220V, 50Hz
Alarm System:	Exclude
Cabinet Material:	Steel
Working Temperature:	0°C ~ 50°C
Environmental Attributes:	Pollution-free

Applications:

The RUIGANG GQQ150/2.5RG FM200 Cabinet Fire Extinguishing System is powered by 220V and 50Hz electrical requirements, providing a reliable source of power for the system. With a working pressure of 2.5MPa, this system is built tough to handle even the most intense fires.

This system uses FM200 as its extinguishing agent, which is a pollution-free and environmentally friendly option. This makes it perfect for use in areas where pollution is a concern, such as server rooms, data centers, and other enclosed spaces that require fire suppression without adding to the pollution levels in the environment.

The RUIGANG GQQ150/2.5RG FM200 Cabinet Fire Extinguishing System is available for purchase with a minimum order quantity of 1 set, and the price is negotiable depending on your specific needs. We offer packaging options that include first polyfoam and then wooden cases, and pallets are available upon request or for larger products.

Delivery time for the RUIGANG GQQ150/2.5RG FM200 Cabinet Fire Extinguishing System is estimated to be 10-15 working days, and we offer payment options that include L/C, D/P, T/T, Western Union, Paypal, and Credit Card. With a supply ability of 30,000 sets per month, we can meet the needs of any business, large or small.

The RUIGANG GQQ150/2.5RG FM200 Cabinet Fire Extinguishing System can be activated manually or automatically, providing flexibility in how you choose to use it. The cabinet color is red, making it easily identifiable in an emergency situation.

Overall, the RUIGANG GQQ150/2.5RG FM200 Cabinet Fire Extinguishing System is an excellent choice for businesses looking for a reliable and pollution-free fire suppression system. Don't wait until it's too late, invest in the safety and security of your business today.

Support and Services:

- Expert installation and commissioning
- On-site training for maintenance personnel
- 24/7 technical support hotline
- Regular maintenance and inspection services
- Spare parts and components replacement
- System upgrades and modifications

Our team of highly trained and experienced technicians is committed to ensuring the optimal performance and safety of your FM200 Cabinet Fire Extinguishing System.

Packing and Shipping:

Product Packaging:

FM200 Cabinet Fire Extinguishing System

Instruction manual

Mounting hardware

Shipping:

Product will be shipped in a sturdy cardboard box to ensure safe delivery.

Shipping options include standard ground shipping or expedited shipping for an additional fee.

Tracking information will be provided once the product has shipped.

FAQ:

Q1: What is the brand name of the cabinet fire extinguishing system?

A1: The brand name of the cabinet fire extinguishing system is RUIGANG.

Q2: What is the model number of the cabinet fire extinguishing system?

A2: The model number of the cabinet fire extinguishing system is GQQ150/2.5RG.

Q3: Where is the cabinet fire extinguishing system manufactured?

A3: The cabinet fire extinguishing system is manufactured in Guangzhou, Guangdong, China.

Q4: What certifications does the cabinet fire extinguishing system have?

A4: The cabinet fire extinguishing system is CCC/ISO9001/ISO45001/ISO14001/ISO10012 certified.

Q5: What is the minimum order quantity for the cabinet fire extinguishing system?

A5: The minimum order quantity for the cabinet fire extinguishing system is 1 set.

Price: Negotiation

Packaging Details: We pack products with first polyfoam and then the wooden cases. Once products are too big or customers require a pallet for products, we will make products a pallet.

Delivery Time: 10~15 working days
Payment Terms: L/C, D/P, T/T, Western Union, Paypal, Credit card
Supply Ability: 30000 sets / month



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou