

2.5MPa Clean Agent Fire Suppression System FM200 Cabinet Capacity 90kg

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Place of Origin: Guangzhou, Guangdong, China
- Brand Name: RUIGANG
- Certification: CCC/ISO9001/ISO45001/ISO14001/ISO10012
- Model Number: GQQ90/2.5RG
- Minimum Order Quantity: 1 set
- Price: negotiation
- Packaging Details: We pack products with first polyfoam and then the wooden cases. Once products are too big or customers require a pallet for products, we will make products a pallet.
- Delivery Time: 10~15 working days
- Payment Terms: L/C, D/P, T/T, Western Union, Paypal, Credit card
- Supply Ability: 30000 sets / month



Product Specification

- Cabinet Capacity: 90kg
- Working Temperature: 0°C ~ 50°C
- Maximum Protective Volume: 163 Square Meters
- Cabinet Color: Red
- Cabinet Size: 500mm*450mm*1600mm
- Activation Method: Manual/Automatic
- Working Pressure: 2.5MPa
- Discharge Time: 10 Seconds
- Highlight: 2.5mpa clean agent fire suppression system fm200
,
2.5mpa fm 200 clean agent fire suppression system

Product Description

FM200 Cabinet Fire Suppression System 90kg Capacity Manual/Automatic Activation 163m² Protection

Product Description:

The system can be activated either manually or automatically, providing users with multiple options for controlling the spread of fires. The system's manual activation feature allows users to quickly and easily initiate fire suppression when necessary, while the automatic activation feature ensures that the system is always ready to respond in the event of a fire.

The FM200 Cabinet Fire Extinguishing System comes in a robust steel cabinet, with dimensions of 500mm x 450mm x 1600mm. This cabinet is designed to be durable and long-lasting, providing users with a reliable and effective storage solution for their fire suppression system.

In addition to its sturdy cabinet, the FM200 Cabinet Fire Extinguishing System also has specific electrical requirements. It operates on a 220V, 50Hz electrical system, ensuring that it can be used in a wide range of locations and settings. This makes it a versatile fire suppression product that can be used in a variety of different industries and applications.

The FM200 cabinet fire extinguishing system by Ruigang Company is available in single bottle and double bottle types, based on its structural form. The FM200 cabinet fire extinguishing system is designed with a linkage control function, which includes a complete set of fire agent storage device and spray assembly. It features a scientifically designed nozzle with a large coverage area, integrating fire detection and alarm functions. This system offers advantages such as small floor space requirement, easy installation, and cost-saving benefits. It is suitable for protecting areas like distribution rooms, transformer rooms, instrument equipment rooms, small oil depots, computer rooms, software libraries, communication rooms, archives and cultural relics data rooms.

The FM200 Cabinet Fire Extinguishing System is a must-have for any organization or individual that wants to ensure the safety and security of their enclosed spaces. With its powerful suppression capabilities and reliable activation methods, this cabinet fire extinguishing system is an essential tool for preventing and controlling fires in a variety of settings.

Features:

Product Name: FM200 Cabinet Fire Extinguishing System

Maximum Protective Volume: 163 Square Meters

Working Temperature: 0°C ~ 50°C

Electrical Requirements: 220V, 50Hz

Discharge Time: 10 Seconds

Activation Method: Manual/Automatic

Technical Parameters:

Extinguishing Agent:	FM200 (HFC-227ea)
Working Temperature:	0°C ~ 50°C
Cabinet Color:	Red
Electrical Requirements:	220V, 50Hz
Alarm System:	Exclude
Discharge Time:	10 Seconds
Working Pressure:	2.5MPa
Cabinet Capacity:	90kg
Maximum Protective Volume:	163 Square Meters
Cabinet Size:	500mm*450mm*1600mm

Applications:

The FM200 Cabinet Fire Extinguishing System is specially designed to extinguish fires that can occur in electronic and electrical equipment, as well as in other areas where there are sensitive materials. This product is perfect for use in data centers, telecommunications facilities, server rooms, control rooms, museums, and archives, among others.

The FM200 Cabinet Fire Extinguishing System is equipped with an extinguishing agent known as FM200. This agent is a colorless, odorless, and electrically non-conductive gas that leaves no residue after discharge. FM200 is environmentally friendly and is considered to be one of the best alternatives to Halon. This makes FM200 a popular choice for fire suppression systems in various settings.

The cabinet material used in the FM200 Cabinet Fire Extinguishing System is made of steel, which ensures durability and long-lasting protection. The discharge time of this product is only 10 seconds, making it an effective and efficient fire suppression system. The maximum protective volume of this product is 163 square meters.

The working pressure of the FM200 Cabinet Fire Extinguishing System is 2.5MPa. This ensures that the product can quickly and effectively extinguish fires in the event of an emergency. The supply ability of this product is 30000 sets per month, making it readily available to customers.

This product can be purchased using various payment methods such as L/C, D/P, T/T, Western Union, Paypal, and Credit card. As a helpful assistant, we highly recommend considering the FM200 Cabinet Fire Extinguishing System for your fire suppression needs.

Support and Services:

The FM200 Cabinet Fire Extinguishing System product comes with technical support and services to ensure proper installation, operation, and maintenance. Our team of experts is available to provide assistance with:

System design and engineering
7*24H services.

Guide installation and commissioning

Fast solution design and quick delivery.

Technical support and regular training.

In addition, we offer ongoing maintenance services to keep your FM200 Cabinet Fire Extinguishing System operating at peak performance. This includes:

Supply of replacement parts and components

24/7 technical support and assistance

Our goal is to provide comprehensive support and services to ensure the safety and protection of your facility and personnel.

Packing and Shipping:

Product Packaging:

- The FM200 Cabinet Fire Extinguishing System product will be packaged securely in a sturdy wooden box to prevent damage during shipment.

- The box will be labeled with the product name, quantity, and handling instructions for the carrier.

Shipping:

- The FM200 Cabinet Fire Extinguishing System product will be shipped via a reputable carrier to ensure timely and safe delivery.

- The shipping cost will be calculated based on the destination and weight of the package.

- The tracking number will be provided to the customer once the product has been shipped.

FAQ:

Q: What is the model number of this product?

A: The model number of this product is ``GQQ40/2.5RG



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou