

## FM200 Gas Suppression System Cabinet Capacity 70kg With Alarm System

### Basic Information

- Place of Origin: Guangzhou, Guangdong, China
- Brand Name: RUIGANG
- Certification: CCC/ISO9001/ISO45001/ISO14001/ISO10012
- Model Number: GQQ70/2.5RG
- Minimum Order Quantity: 1 set
- Price: negotiation
- Packaging Details: We pack products with first polyfoam and then the wooden cases. Once products are too big or customers require a pallet for products, we will make products a pallet.
- Delivery Time: 10~15 working days
- Payment Terms: L/C, D/P, T/T, Western Union, Paypal, Credit card
- Supply Ability: 30000 sets / month



### Product Specification

- Alarm System: Included
- Discharge Time: 10 Seconds
- Working Pressure: 2.5MPa
- Electrical Requirements: 220V, 50Hz
- Cabinet Material: Steel
- Cabinet Capacity: 70kg
- Cabinet Color: Red
- Cabinet Size: 500mm\*450mm\*1450mm
- Highlight: 70kg fm200 gas suppression system, 70kg fm200 gas fire suppression system, 2.5mpa fm200 gas suppression system



## Product Description

### FM200 Cabinet Fire Extinguishing System With A 10 Second Discharge Time Of 2.5MPa Pressure And No Pollution

#### Product Description:

The FM200 Cabinet Fire Extinguishing System is available in both manual and automatic activation methods. The manual system allows for immediate response in case of a fire, while the automatic system can detect and suppress a fire without human intervention, which is particularly useful in unoccupied areas or when a fire occurs outside of business hours.

The FM200 Cabinet Fire Extinguishing System is designed to protect a maximum volume of 127 square meters, making it suitable for small to medium-sized enclosures. The cabinet size is 500mm\*450mm\*1450mm, which means it can be easily installed in most locations without taking up too much space. The cabinet has a capacity of 70kg of HFC-227ea, which is enough to suppress most fires before they can cause significant damage.

The FM200 Cabinet Fire Extinguishing System is designed to operate in a wide range of temperatures, from 0°C to 50°C, making it suitable for use in most environments. The system can be customized to meet specific customer requirements, such as different activation methods, cabinet sizes, and HFC-227ea quantities.

In summary, the FM200 Cabinet Fire Extinguishing System is an effective and reliable fire protection solution that uses HFC-227ea to suppress fires in enclosed spaces. Whether you need manual or automatic activation, a small or medium-sized cabinet, or a customized solution, this cabinet fire extinguishing system is a great choice for protecting your critical assets and ensuring business continuity.

#### Features:

Product Name: FM200 Cabinet Fire Extinguishing System

Working Pressure: 2.5MPa

Activation Method: Manual/Automatic

Discharge Time: 10 Seconds

Electrical Requirements: 220V, 50Hz

Features: HFC-227ea, pollution-free, cabinet fire extinguishing system

#### Technical Parameters:

Technical Parameters	Description
Cabinet Capacity	70kg
Cabinet Material	Steel
Cabinet Size	500mm*450mm*1450mm
Alarm System	Exclude
Activation Method	Manual/Automatic
Extinguishing Agent	FM200
Working Temperature	0°C ~ 50°C
Electrical Requirements	220V, 50Hz
Working Pressure	2.5MPa
Maximum protective volume	127 Square Meters

#### Applications:

The FM200 Cabinet Fire Extinguishing System uses FM200 as the extinguishing agent which is a non-toxic and pollution-free gas, making it an ideal solution for sensitive environments such as data centers, hospitals, laboratories, and museums. The extinguishing system is also equipped with a cabinet that measures 500mm\*450mm\*1450mm, providing a compact and space-saving solution for fire protection.

With a working pressure of 2.5MPa and a discharge time of 10 seconds, the FM200 Cabinet Fire Extinguishing System is capable of quickly suppressing fires. It is also easy to install and maintain, ensuring hassle-free operation. The system is supplied with a maximum protective volume of 127 square meters, making it suitable for a wide range of applications.

RUIGANG offers flexible payment terms such as L/C, D/P, T/T, Western Union, Paypal, and Credit card, allowing customers to choose the most convenient payment method. The minimum order quantity is one set, and the price is negotiable based on the order quantity. The packaging details include first polyfoam and then wooden cases, while products that are too big or require a pallet will be made into a pallet.

The FM200 Cabinet Fire Extinguishing System has a supply ability of 30,000 sets per month, ensuring that customers can receive their orders promptly within 10-15 working days. Whether it is for protecting valuable assets or ensuring the safety of personnel, the FM200 Cabinet Fire Extinguishing System is a reliable and efficient solution for fire protection.

#### Support and Services:

Our technical support team is available to provide assistance with installation, maintenance, and troubleshooting of the FM200 Cabinet

Fire Extinguishing System. We offer training to ensure that your staff is properly trained on the use and maintenance of the system. In addition to our technical support, we also provide a range of services to help you get the most out of your FM200 Cabinet Fire Extinguishing System. These services include:

Guide installation and debugging

Fast solution design and quick delivery.

Technical support and regular training.

Emergency response services

Our goal is to provide you with a comprehensive solution that meets your specific fire protection needs. Contact us to learn more about our technical support and services for the FM200 Cabinet Fire Extinguishing System.

## Packing and Shipping:

Product Packaging:

1 FM200 cabinet fire extinguishing system

Installation instructions

Warranty information

Shipping:

Ships within 2 business days

Standard ground shipping

Shipping cost calculated at checkout

## FAQ:

**Q1: What is the brand name of the FM200 Cabinet Fire Extinguishing System product?**

A1: The brand name of the product is RUIGANG.

**Q2: What is the model number of the FM200 Cabinet Fire Extinguishing System product?**

A2: The model number of the product is GQQ40/2.5RG.

**Q3: What certifications does the FM200 Cabinet Fire Extinguishing System product have?**

A3: The product is certified by CCC/ISO9001/ISO45001/ISO14001/ISO10012.

**Q4: What is the minimum order quantity for the FM200 Cabinet Fire Extinguishing System product?**

A4: The minimum order quantity for the product is 1 set.

**Q5: What are the payment terms for the FM200 Cabinet Fire Extinguishing System product?**

A5: The payment terms for the product are L/C, D/P, T/T, Western Union, Paypal, Credit card.



**Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.**



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou