

Fm 200 Fire Suppression System Spray Time 10 Seconds Cabinet Capacity 180kg

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Place of Origin: Guangzhou, Guangdong, China
- Brand Name: RUIGANG
- Certification: CCC/ISO9001/ISO45001/ISO14001/ISO10012
- Model Number: GQQ180/2.5RG
- Minimum Order Quantity: 1 set
- Price: negotiation
- Packaging Details: We pack products with first polyfoam and then the wooden cases. Once products are too big or customers require a pallet for products, we will make products a pallet.
- Delivery Time: 10~15 working days
- Payment Terms: L/C, D/P, T/T, Western Union, Paypal, Credit card
- Supply Ability: 30000 sets / month



Because we are dedicated, we are professional.



Product Specification

- Activation Method: Manual/Automatic
- Working Temperature: 0°C ~ 50°C
- Spray Time: 10 Seconds
- Extinguishing Agent: FM200
- Alarm System: Included
- Cabinet Material: Steel
- Cabinet Color: Red
- Cabinet Capacity: 180kg
- Highlight: **180kg fire suppression fm 200, 180kg fm 200 fire suppression system, 10 seconds fire suppression fm 200**

Product Description

2.5MPa FM200 Fire Suppression System for Red Cabinet in Industrial Environment

Product Description:

The FM200 Cabinet Fire Extinguishing System is powered by FM200, a highly effective fire suppression agent that is non-toxic, non-corrosive, and safe for use in occupied spaces. When the system is activated, FM200 is released into the enclosed space, quickly extinguishing any flames and preventing them from spreading. This makes the FM200 Cabinet Fire Extinguishing System an ideal choice for protecting high-value assets and sensitive equipment from fire damage.

The FM200 Cabinet Fire Extinguishing System comes equipped with an alarm system, which alerts occupants of the enclosed space to the presence of fire and the activation of the fire suppression system. This is an important safety feature that helps ensure that everyone in the area is aware of the danger and can evacuate quickly and safely.

The FM200 Cabinet Fire Extinguishing System is designed to operate in a wide range of temperatures, from 0°C to 50°C. This makes it suitable for use in a variety of environments, including those that experience extreme heat or cold.

If you need a reliable and effective fire suppression solution for your enclosed space, the FM200 Cabinet Fire Extinguishing System is an excellent choice. It offers top-of-the-line performance and a range of features that make it easy to use and maintain. So why wait? Invest in the FM200 Cabinet Fire Extinguishing System today and protect your assets from fire damage!

Features:

Product Name: FM200 Cabinet Fire Extinguishing System

Spray Time: 10 Seconds

Cabinet Material: Steel

Cabinet Capacity: 180kg

Maximum Protective Volume: 326 Square Meters

Cabinet Color: Red

Extinguishing Agent: HFC-227ea

Technical Parameters:

Technical Parameter	Description
Maximum Protective Volume	326 Square Meters
Activation Method	Manual/Automatic
Cabinet Size	620mm*570mm*1750mm
Cabinet Material	Steel
Working Pressure	2.5MPa
Alarm System	Excluded
Electrical Requirements	220V, 50Hz
Extinguishing Agent	HFC-227ea (FM200)
Working Temperature	0°C ~ 50°C
Cabinet Color	Red
Additional Attributes	Pollution-free

Applications:

With a minimum order quantity of 1 set and a supply ability of 30000 sets per month, the RUIGANG GQQ180/2.5RG FM200 Cabinet Fire Extinguishing System is available at a negotiable price. The product is packed with first polyfoam and then the wooden cases. For larger products, a pallet can be provided upon request.

The RUIGANG GQQ180/2.5RG FM200 Cabinet Fire Extinguishing System is highly versatile and can be used in various scenarios such as data centers, archives, museums, libraries, and more. The system's pollution-free and eco-friendly HFC-227ea gas extinguishes fires quickly and effectively, without causing damage to the environment or the equipment. The system is designed to work with an alarm system that alerts occupants of a fire, ensuring timely evacuation and preventing further damage.

The RUIGANG GQQ180/2.5RG FM200 Cabinet Fire Extinguishing System is available in a vibrant red cabinet color, making it easy to spot in emergency situations. The system can be activated manually or automatically, depending on the user's preference. The system requires 220V, 50Hz electrical requirements and operates at a working pressure of 2.5MPa.

Overall, the RUIGANG GQQ180/2.5RG FM200 Cabinet Fire Extinguishing System is a reliable, efficient, and eco-friendly solution for fire suppression. It is a must-have for scenarios where equipment and data need to be protected from fire damage. Contact us today to learn more about this product or to place an order.

Support and Services:

The FM200 Cabinet Fire Extinguishing System is a highly effective fire suppression system designed specifically for protecting valuable and critical equipment housed in cabinets or enclosures. It uses a clean agent gas called FM200, which quickly extinguishes fires without leaving any residue or damage to the protected equipment.

Our technical support team is available to assist with any questions or issues that may arise with the FM200 Cabinet Fire Extinguishing System. We offer a range of services, including:

System design and engineering

Guiding installation and commissioning

Our goal is to ensure that your FM200 Cabinet Fire Extinguishing System is always functioning properly and providing the highest level of protection for your equipment.

Packing and Shipping:

Product Packaging:

1 FM200 Cabinet Fire Extinguishing System unit

Mounting bracket and hardware

Installation and operation manual

Shipping:

Ships within 10-15 business days

FAQ:

Q1: What is the brand name of this fire extinguishing system?

A1: The brand name of this fire extinguishing system is RUIGANG. **Q2: What is the model number of this fire extinguishing system?**

A2: The model number of this fire extinguishing system is GQQ180/2.5RG. **Q3: Where is this fire extinguishing system manufactured?**

A3: This fire extinguishing system is manufactured in Guangzhou, Guangdong, China. **Q4: What certifications does this fire extinguishing system have?**

A4: This fire extinguishing system is certified with CCC, ISO9001, ISO45001, ISO14001, and ISO10012. **Q5: What is the minimum order quantity for this fire extinguishing system?**

A5: The minimum order quantity for this fire extinguishing system is 1 set.

Q6: What is the price of this fire extinguishing system?

A6: The price of this fire extinguishing system is subject to negotiation. **Q7: How is this fire extinguishing system packaged?**

A7: We pack products with first polyfoam and then the wooden cases. Once products are too big or customers require a pallet for products, we will make products a pallet. **Q8: What is the delivery time for this fire extinguishing system?**

A8: The delivery time for this fire extinguishing system is 10~15 working days. **Q9: What are the payment terms for this fire extinguishing system?**

A9: The payment terms for this fire extinguishing system are L/C, D/P, T/T, Western Union, Paypal, and Credit card. **Q10: What is the supply ability for this fire extinguishing system?**

A10: The supply ability for this fire extinguishing system is 30000 sets per month.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou