

## Manual / Automatic Fm200 Suppression System Excluded Alarm System

Our Product Introduction

for more products please visit us on [firefm200.com](http://firefm200.com)

### Basic Information

- Place of Origin: Guangzhou, Guangdong, China
- Brand Name: RUIGANG
- Certification: CCC/ISO9001/ISO45001/ISO14001/ISO10012
- Model Number: GQQ120/2.5RG
- Minimum Order Quantity: 1 set
- Price: negotiation
- Packaging Details: We pack products with first polyfoam and then the wooden cases. Once products are too big or customers require a pallet for products, we will make products a pallet.
- Delivery Time: 10~15 working days
- Payment Terms: L/C, D/P, T/T, Western Union, Paypal, Credit card
- Supply Ability: 30000 sets / month



Because we are dedicated, we are professional.



### Product Specification

- Electrical Requirements: 220V, 50Hz
- Cabinet Material: Steel
- Cabinet Size: 500\*450\*1850mm
- Extinguishing Agent: FM200
- Working Pressure: 2.5MPa
- Activation Method: Manual/Automatic
- Maximum Protective Volume: 217 Square Meters
- Alarm System: Excluded
- Warranty: 1 Year
- Extinguishing Capacity: 1.3kg/m3
- Power: DC24V/1.6A
- Fire Extinguishing Time: 10 Seconds



Because we are dedicated, we are professional.



## Product Description

FM200 Cabinet Fire Extinguishing System Advanced Fire Protection for Your Valuables

### Product Description:

The FM200 Cabinet Fire Extinguishing System has a spray time of just 10 seconds, ensuring that fires can be extinguished quickly before they have a chance to grow and spread. This fast response time makes it an ideal choice for use in situations where speed and efficiency are critical.

The cabinet of the FM200 Cabinet Fire Extinguishing System is painted in a bright red color, making it easy to spot and identify in an emergency situation. This feature ensures that the system can be quickly located and activated when needed, allowing for fast and effective fire suppression.

The cabinet of the FM200 Cabinet Fire Extinguishing System has a large capacity of 120kg, which ensures that it can provide sufficient coverage for a wide range of cabinet sizes and configurations. This makes it a versatile option for use in a variety of settings, including offices, server rooms, and other enclosed spaces.

The FM200 Cabinet Fire Extinguishing System is capable of protecting a maximum volume of 217 square meters, making it suitable for use in larger spaces. This ensures that even in larger environments, the system can provide effective fire protection and suppression. In summary, the FM200 Cabinet Fire Extinguishing System is a reliable and efficient cabinet fire extinguishing system that is designed to provide fast and effective fire suppression in a variety of settings. With its wide temperature range, fast response time, and large capacity, it is an ideal choice for use in offices, server rooms, and other enclosed spaces where fire protection is critical.



### Features:

Product Name: FM200 Cabinet Fire Extinguishing System

Working Pressure: 2.5MPa

Cabinet Material: Steel

Alarm System: Included

Cabinet Size: 500mm\*450mm\*1850mm

Cabinet Capacity: 150kg

Uses FM200 (HFC-227ea) gas for effective fire suppression

Pollution-free and safe for use in occupied spaces

### Technical Parameters:

Cabinet Size	500mm*450mm*1850mm
Cabinet Material	Steel

Electrical Requirements	220V, 50Hz
Cabinet Color	Red
Alarm System	Excluded
Maximum Protective Volume	217 Square Meters
Spray Time	10 Seconds
Working Pressure	2.5MPa
Extinguishing Agent	FM200 (HFC-227ea)
Working Temperature	0°C ~ 50°C
Other Features	Pollution-free

## Applications:

This fire extinguishing system is perfect for a variety of application occasions and scenarios. It is ideal for use in data centers, telecommunication centers, computer rooms, control rooms, archives, museums, and any other places where the use of water or other extinguishing agents is not recommended due to the risk of equipment damage and data loss. The FM200 extinguishing agent used in this system is pollution-free, making it safe for both people and the environment. Additionally, the system includes an alarm system that will alert people in the area of a fire, providing an extra layer of safety.

The RUIGANG GQQ120/2.5RG FM200 Cabinet Fire Extinguishing System is certified with CCC/ISO9001/ISO45001/ISO14001/ISO10012 certifications, ensuring its high quality and reliability. The minimum order quantity for this product is 1 set, and the price is negotiable. We package this product with first polyfoam and then wooden cases, ensuring that it arrives at its destination safely. If the product is too big or customers require a pallet, we will make products a pallet. The delivery time for this product is 10~15 working days, and we accept a variety of payment terms, including L/C, D/P, T/T, Western Union, Paypal, and Credit card. Our supply ability is 30000 sets per month, ensuring that we can meet our customers' needs.

## Support and Services:

The FM200 Cabinet Fire Extinguishing System is a highly effective and reliable solution for protecting valuable equipment and assets from fires. The system uses a clean agent, FM200, to extinguish fires quickly and safely without damaging sensitive equipment.

Our technical support team is available to assist with any questions or concerns regarding installation, operation, or maintenance of the system. We also offer comprehensive training programs to ensure that personnel are properly trained in the use and maintenance of the system.

In addition to technical support, we offer a range of services to ensure that the system is properly maintained and functioning optimally. These services include regular inspections and testing, preventative maintenance, and emergency repair services.

## Packing and Shipping:

### Product Packaging:

FM200 Cabinet Fire Extinguishing System unit

Mounting bracket and hardware

User manual and installation guide

### Shipping:

All orders are processed within 3-5 business days.

International shipping is available at an additional cost.

All shipments are insured and come with a tracking number.

## FAQ:

"What is the brand name of this product?" The brand name of this product is RUIGANG. "What is the model number of this product?" The model number of this product is GQQ120/2.5RG. "Where is the place of origin for this product?" The place of origin for this product is Guangzhou, Guangdong, China. "What certifications does this product have?" This product is certified with CCC/ISO9001/ISO45001/ISO14001/ISO10012. "What is the minimum order quantity for this product?" The minimum order quantity for this product is 1 set. "What is the price of this product?" The price of this product is available for negotiation. "How is this product packaged for shipping?" We pack products with first polyfoam and then the wooden cases. Once products are too big or customers require a pallet for products, we will make products a pallet. "What is the delivery time for this product?" The delivery time for this product is 10~15 working days. "What payment methods are accepted for this product?" The payment methods accepted for this product are L/C, D/P, T/T, Western Union, Paypal, and Credit card. "What is the supply ability for this product?" The supply ability for this product is 30000 sets / month.





+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou