

Automatic Hanging Fire Extinguisher 1.6MPa HFC-227ea Easy Installation For 16 Cubic Meter Protection

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Place of Origin: Guangzhou, Guangdong, China
- Brand Name: RUIGANG
- Certification: CCC/ISO/CMA/CAL/CNAS
- Model Number: XQQW10/1.6RG
- Minimum Order Quantity: 3 set
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10~15 working days
- Payment Terms: L/C, D/P, T/T, Western Union, Paypal, Credit card
- Supply Ability: 30000 sets / month



Product Specification

- Filler: HFC-227ea
- Working Temperature Range: 0°C~50°C
- Installation: Easy To Install
- Working Pressure: 1.6MPa
- Installation Mode: Hanging
- Maximum Protective Volume: 16 Cubic Meter
- Fire Extinguisher Color: Red
- Activating Temperature: 68°C
- Outside Diameter of Cylinder: $\Phi 300\text{mm}$
- Height Of Cylinder: 380±20mm
- Weight: 1.5kg



Product Description

Automatic Hanging Fire Extinguisher 1.6MPa HFC-227ea Easy Installation for 16 Cubic Meter Protection

Product Description:

One of the key benefits of the HFC-227ea hanging extinguishing device is that it is easy to install. This means that you can quickly get it set up in the right location without having to spend a lot of time or money on professional installation services.

With a size of 10L, this extinguisher is ideal for use in a range of different settings. It is capable of protecting a maximum volume of 16 cubic meters, making it a great choice for small to medium-sized spaces.

The filler used in the HFC-227ea Automatic Fire Extinguisher is HFC-227ea. This is a popular choice for fire extinguisher fillers because it is non-toxic and non-corrosive, making it safe for use around people and sensitive equipment. It is also highly effective at putting out fires, making it an excellent choice for those who are serious about fire safety.

If you are looking for an effective and easy-to-use fire extinguisher for your business or home, the HFC-227ea Automatic Fire Extinguisher is an excellent choice. With its high working pressure, easy installation, and powerful HFC-227ea filler, it is sure to provide you with the protection you need to keep your property and your loved ones safe.

When it comes to choosing a fire extinguisher, it is important to consider a range of different factors, including the size of your space, the type of fires you are most likely to encounter, and your budget. The HFC-227ea Automatic Fire Extinguisher is a great choice for those who want a reliable and effective extinguisher that is easy to install and use.

This extinguisher is also commonly referred to as an FM200 fire extinguisher, which is a type of fire suppression system that is designed to quickly and effectively put out fires. If you are looking for a high-quality fire extinguisher that you can rely on, the HFC-227ea Automatic Fire Extinguisher is an excellent choice.

Features:

Product Name: FM200 Automatic fire extinguisher

Cylinder Color: Red

Model: XQQW10/1.6RG

Fire Extinguisher Color: Red

Discharge Time: ≤10s

Maximum filling Density: 1 Kg/L

Features:

The FM200 Hanging System

Contains FM200

Equipped with the HFC-227ea hanging device

Technical Parameters:

Maximum filling Density	1 Kg/L
Activating Temperature	68°C
Model	XQQW10/1.6RG
Maximum protective volume	16 Cubic Meter
Installation mode	Hanging
Cylinder Color	Red
Working Temperature Range	0°C~50°C
Discharge Time	≤10s
Filler	HFC-227ea
Extinguishing Agent	HFC-227ea

This is the technical parameter table for the Automatic Fire Extinguisher product. The FM200 Hanging System is used for installation. The extinguishing agent used is HFC-227ea.

Applications:

The RUIGANG XQQW10/1.6RG Automatic Fire Extinguisher is a reliable and high-quality fire extinguisher that can be used in various scenarios. This product is made in Guangzhou, Guangdong, China, and comes with certifications such as CCC, ISO, CMA, CAL, and CNAS. The minimum order quantity is three sets, and the price is negotiable. The packaging details include plywood outer box with bubble bag or paper, and the delivery time is 10~15 working days. Payment terms include L/C, D/P, T/T, Western Union, Paypal, and Credit card. The supply ability is 30000 sets/month.

The RUIGANG XQQW10/1.6RG Automatic Fire Extinguisher has a max working pressure of 2.5MPa and maximum protective volume of 16 cubic meters. The activating temperature is 68°C, and the working pressure is 1.6MPa. The size is 10L, and it uses HFC-227ea as the extinguishing agent. The product comes with a hanging device, making it easy to install and use.

The Automatic Fire Extinguisher is suitable for many occasions and scenarios. It can be used in factories, offices, homes, and other places where there is a risk of fire. This product is especially useful for areas that are unmanned or difficult to access. It can quickly detect and suppress fires, preventing them from spreading and causing further damage. The RUIGANG XQQW10/1.6RG Automatic Fire

Extinguisher is easy to use and requires minimal maintenance.

In conclusion, the RUIGANG XQQW10/1.6RG Automatic Fire Extinguisher is a reliable and efficient product that can help prevent and control fires. It is suitable for various scenarios and comes with certifications and high-quality materials. If you need a fire extinguisher for your home or business, consider the RUIGANG XQQW10/1.6RG Automatic Fire Extinguisher.

Support and Services:

The Automatic Fire Extinguisher product is designed to provide a quick and efficient response in the event of a fire. Our technical support team is available to assist you 24/7 with any questions or concerns you may have regarding the installation, maintenance, or troubleshooting of your product.

Our services include:

Installation guidance and support

Product training and education

Technical troubleshooting and support

We are committed to ensuring the safety and satisfaction of our customers. Please do not hesitate to contact us if you require any assistance with your Automatic Fire Extinguisher.



Packing and Shipping:

Product Packaging:

1 Automatic Fire Extinguisher

Mounting Bracket and Screws

User Manual

Shipping:

Shipping Method: Standard Shipping

Estimated Delivery Time: 3-5 Business Days

FAQ:

A: The brand name is RUIGANG.

Q: What is the model number of the automatic fire extinguisher?

A: The model number is XQQW10/1.6RG.

Q: Where is the automatic fire extinguisher manufactured?

A: The automatic fire extinguisher is manufactured in Guangzhou, Guangdong, China.

Q: What certifications does the automatic fire extinguisher have?

A: The automatic fire extinguisher has CCC/ISO/CMA/CAL/CNAS certifications.

Q: What is the minimum order quantity for the automatic fire extinguisher?

A: The minimum order quantity is 3 sets.

Q: What is the price of the automatic fire extinguisher?

A: The price is negotiable.

Q: How is the automatic fire extinguisher packaged?

A: The automatic fire extinguisher is packaged in a plywood outer box with bubble bag or paper.

Q: What is the delivery time for the automatic fire extinguisher?

A: The delivery time is 10~15 working days.

Q: What are the payment terms for the automatic fire extinguisher?

A: The payment terms are L/C, D/P, T/T, Western Union, Paypal, and Credit card.

Q: What is the supply ability of the automatic fire extinguisher?

A: The supply ability is 30000 sets / month.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou