

## Stored Pressure HFC-227ea Ceiling Type Automatic Fire Extinguisher 1Kg/L Density

Our Product Introduction

for more products please visit us on [firefm200.com](http://firefm200.com)

### Basic Information

- Place of Origin: Guangzhou, Guangdong, China
- Brand Name: RUIGANG
- Certification: CCC/ISO/CMA/CAL/CNAS
- Model Number: XQQC40/1.6RG
- Minimum Order Quantity: 3 set
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10~15 working days
- Payment Terms: L/C, D/P, T/T, Western Union, Paypal, Credit card
- Supply Ability: 30000 sets / month



### Product Specification

- Cylinder High: 695±20(mm)
- Maximum Filling Density: 1 Kg/L
- Type: Stored-pressure Type
- Filling Amount: 40kg
- Max Working Pressure: 2.5MPa
- Agent: HFC-227ea(FM200)
- Extinguishing Agent: HFC-227ea
- Model: XQQC40/1.6RG
- Working Pressure: 1.6MPa
- Outside Diameter Of Cylinder: Φ400mm
- Discharge Time: ≤10s



## Product Description

Stored pressure HFC-227ea hanging automatic extinguisher 2.5MPa Working Pressure 1 Kg/L Density

### Product Description:

The HFC-227ea agent is a clean, colorless, and odorless gas that leaves no residue, making it safe for use in sensitive areas. It is an effective extinguishing agent for Class A, B, C and E fires, making it a versatile and efficient solution for a wide range of fire hazards. The use of FM200 in the HFC-227ea Automatic Fire Extinguisher ensures that fires are quickly and effectively extinguished, minimizing the risk of property damage, injury, and loss of life.

The HFC-227ea Automatic Fire Extinguisher comes in a bright red color, making it easy to locate in an emergency. The model XQQC40/1.6RG is designed for hanging installation, making it easy to install in enclosed spaces. The maximum protective volume of this fire extinguisher is 72.5 cubic meters, making it suitable for use in small to medium-sized rooms.

The HFC-227ea Automatic Fire Extinguisher is an essential safety device that provides reliable and effective protection against fires. It is easy to use and requires minimal maintenance, making it a cost-effective solution for fire suppression. The use of FM200 as the extinguishing agent ensures that fires are quickly extinguished without leaving any residue, minimizing the risk of damage to valuable assets.

If you are looking for a reliable and effective fire suppression system, the HFC-227ea Automatic Fire Extinguisher is an excellent choice. Its use of FM200 as the extinguishing agent makes it an efficient solution for a wide range of fire hazards, while its bright red color and hanging installation design make it easy to locate and install. Protect your valuable assets from fire damage with the HFC-227ea Automatic Fire Extinguisher.

### Features:

Product Name: Automatic fire extinguisher

Agent: HFC-227ea(FM200)

Fire Extinguisher Color: Red

Maximum protective volume: 72.5Cubic Meter

Max Working Pressure: 2.5MPa

Working Pressure: 1.6MPa

This Automatic fire extinguisher is a hanging fire extinguisher that is designed to quickly and effectively put out fires. It uses HFC-227ea(FM200) as its extinguishing agent, and has a red color for easy identification. This extinguisher can protect a maximum volume of 72.5 cubic meters and has a maximum working pressure of 2.5MPa, while typically working at a pressure of 1.6MPa.

### Technical Parameters:

Model	XQQC40/1.6RG
Working Pressure	1.6MPa
Cylinder high	695±20(mm)
Agent	HFC-227ea(FM200)
Type	Stored-pressure Type
Fire Extinguisher Color	Red
Cylinder Color	Red
Capacity	40L
Installation mode	Hanging
Extinguishing Agent	HFC-227ea

### Applications:

The RUIGANG XQQC40/1.6RG automatic fire extinguisher is an electric actuated extinguisher that works at a pressure of 1.6MPa. It has a capacity of 40L and its agent is HFC-227ea (FM200), which is a colorless, odorless, and environmentally friendly gas that is highly effective in extinguishing fires. The fire extinguisher is colored red, which makes it easy to locate in case of an emergency.

This automatic fire extinguisher is suitable for various application occasions and scenarios. It can be used in places such as server rooms, data centers, archives, museums, libraries, laboratories, hospitals, banks, and other places where fires can cause significant damage.

The RUIGANG XQQC40/1.6RG automatic fire extinguisher can quickly detect and extinguish fires, preventing them from spreading and causing further damage. It is a hanging automatic extinguisher, which means it can be mounted on the ceiling or wall and activated automatically in the event of a fire.

The packaging details for this product include a plywood outer box with bubble bag or paper, which ensures safe transportation of the fire extinguisher. The delivery time for this product is 10-15 working days, and the payment terms accepted include L/C, D/P, T/T, Western Union, Paypal, and Credit card.

### Support and Services:

Our Automatic Fire Extinguisher product comes with comprehensive technical support and services to ensure that your system is always

functioning optimally. Our team of experts is available to provide assistance with installation, maintenance, and troubleshooting. We also offer regular inspections and testing to ensure that your system is up to code and functioning as it should. Additionally, we provide training for your staff on how to properly operate and maintain the system. Our goal is to ensure that your property and occupants are protected from fire hazards at all times.

## Packing and Shipping:

Product Packaging:

Automatic fire extinguisher unit

Mounting bracket and screws

User manual

Shipping Information:

Ships within 3 business days



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou

