

80L Non Polluting IG541 Fire Suppression System 15MPa Inert Gas

80L Non Polluting IG541 Fire Suppression System 15MPa Inert Gas Extinguishing

Basic Information

• Place of Origin: Guangzhou, Guangdong, China

Brand Name: RUIGANG

• Certification: CCC/ISO/CMA/CAL/CNAS

Model Number: QMH15/80-RG

Minimum Order
 Overation

Quantity:

1 set

Price: negotiation

• Packaging Details: Plywood outer box with bubble bag or paper

• Delivery Time: 10~15 working days

• Payment Terms: L/C, D/P, T/T, Western Union, Paypal, Credit

card

• Supply Ability: 300 sets per month



广州瑞港消防设备有限公司

Product Specification

• Cylinder Volume: 80L

• High Light: IG541 Fire Suppression System \ Non-

polluting Inert Gas Fire Extinguishing System

• Working Pressure: 150 Bar

Manufacturer: Guangzhou Ruigang Fire Fighting Equipment

Co.,LTD

• Height Of Cylinder: 1610±10mm

• Weight Of Agent: 16.8 KG

• Working Prussure: 15MPa

Trademark: RUIGANG

Outside Diameter Of

Cylinder:

Ф279±10mm

Working Temperature: 0~50°C

 May Marking Brooking: 17 0MBs

Product Description

Non polluting IG541 Fire Suppression System 15MPa Working Pressure 150 Bar Inert Gas Extinguishing

Product Description:

The system is designed to operate at a pressure of 150 Bar and can be started either automatically or manually. The automatic activation method is triggered by a fire alarm system, while the manual activation method is initiated by a pull station.

The Inert Gas Fire Suppression System can be activated either automatically or manually, depending on the situation. The automatic activation method is triggered by a fire alarm system, while the manual activation method is initiated by a pull station.

The system is designed to operate in temperatures ranging from 0°C to +50°C, making it suitable for use in a variety of environments. The system is also designed to be easy to install and maintain, with a transport package that includes a wooden box for safe and secure transportation.

The Inert Gas Fire Suppression System is an ideal choice for anyone looking for an effective fire suppression system that uses IG541 inert gas. This system is designed to be reliable, easy to use, and highly effective at extinguishing fires, making it a great choice for a wide range of applications.

Whether you need a fire suppression system for a data center, electrical room, or other sensitive area, the Inert Gas Fire Suppression System is an excellent choice. With its automatic and manual activation methods, working pressure of 150 Bar, and working temperature range of 0°C to +50°C, this system is designed to provide reliable and effective fire suppression in a variety of environments. So why wait? Invest in an Inert Gas Fire Extinguishing System today and enjoy the peace of mind that comes with knowing your property is protected from the dangers of fire.

Features:

Product Name: Inert Gas Fire Suppression System

Working Pressure: 15MPa
Trademark: RUIGANG
Height of Cylinder: 1610±10mm
Working Pressure: 150 Bar

Composition: Nitrogen, Argon, Carbon Dioxide

Product Features:

Uses IG541 fire suppression system
Effective Inert Gas Fire Extinguishing System
Uses IG541 Fire Extinguishing System

Reliable and safe to use

Can be used in various settings such as offices, warehouses, and data centers

Easy to install and maintain

Technical Parameters:

Actuation	Automatic Or Manual Start
Nitrogen Pressure of Driving Device	6.0MPa (20°C)
Storage Bottle Material	Steel Gas Cylinder
Safety concentration	≤52%
Outside Diameter of Cylinder	Φ267±10mm
Min. extinguishing concentration	37.5%
Shipping Way	By Sea
Weight of agent	16.8 KG
High Light	IG541 Fire Suppression System / Non-polluting Inert Gas Fire Extinguishing System
Activation Method	Automatic /Manual Operation

Applications:

The RUIGANG QMH15/70-RG IG541 Inert Gas Fire Extinguishing System is an advanced fire suppression system that is perfect for a wide range of applications. This system is designed to be highly effective at putting out fires in a variety of different scenarios, making it an excellent choice for businesses and organizations of all types. Here are some of the different product application occasions and scenarios where the RUIGANG IG541 Inert Gas Fire Extinguishing System excels:

Computer Rooms: The RUIGANG IG541 Inert Gas Fire Extinguishing System is perfect for computer rooms, where fires can be devastating. This system is designed to quickly and effectively put out fires in these spaces, helping to save valuable equipment and data. Telecommunication Centers: Telecommunication centers are another space where the RUIGANG IG541 Inert Gas Fire Extinguishing System is an excellent choice. This system can help protect valuable equipment and ensure that communication channels remain open even in the event of a fire.

Power Plants: Power plants are also a great place to use the RUIGANG IG541 Inert Gas Fire Extinguishing System. These systems can

help prevent fires in critical areas of the plant, ensuring that operations can continue unimpeded.

Chemical Plants: Chemical plants can be highly volatile, with many potential fire hazards. The RUIGANG IG541 Inert Gas Fire Extinguishing System is an excellent choice for these spaces, as it can quickly and effectively put out fires before they have a chance to

Industrial Facilities: Finally, industrial facilities of all types can benefit from the RUIGANG IG541 Inert Gas Fire Extinguishing System.

These systems can help prevent fires in critical areas, ensuring that operations can continue safely and efficiently. The RUIGANG IG541 Inert Gas Fire Extinguishing System is a top-of-the-line product that is designed to be effective, reliable, and easy

to use. With its automatic or manual start actuation, this system can be quickly activated in the event of a fire. Additionally, the system has a discharge time of ≤60 S, ensuring that fires are quickly and effectively extinguished. With its maximum working pressure of 17.2MPa, the RUIGANG IG541 Inert Gas Fire Extinguishing System is capable of putting out fires in a wide range of scenarios. Finally, with its certification from CCC/ISO/CMA/CAL/CNAS, you can be sure that you are getting a high-quality, reliable product that has been thoroughly tested and certified to meet the highest standards of quality and safety.

If you are interested in purchasing the RUIGANG IG541 Inert Gas Fire Extinguishing System, we offer a minimum order quantity of 1 set and flexible pricing options that are available through negotiation. Our packaging details include a plywood outer box with bubble bag or paper to ensure that your product arrives safe and secure. We offer a delivery time of 10-15 working days and accept a range of payment terms including L/C, D/P, T/T, Western Union, Paypal, and Credit Card. Additionally, with our supply ability of 3000 sets per week, we are able to meet even the most demanding customer needs. Contact us today to learn more about the RUIGANG IG541 Inert Gas Fire Extinguishing System!

Trademark: RUGANG

Support and Services:

The Inert Gas Fire Suppression System is designed to quickly and effectively suppress fires without causing damage to sensitive equipment or the environment. Our technical support team is available to assist with system design, installation, and maintenance to ensure optimal performance and reliability. Our services include:

System design and engineering

Training and support

Inspections and testing

Maintenance and repair

24/7 emergency support

Our team of experts is dedicated to providing top-notch customer service and ensuring that our customers' fire suppression needs are met with the highest level of quality and efficiency.

Packing and Shipping:

Product Packaging:

The Inert Gas Fire Suppression System product will be packaged in a sturdy cardboard box to protect it from damage during shipping. The box will be labeled with the product name and handling instructions to ensure that it is handled with care.

The Inert Gas Fire Suppression System product will be shipped via a recognized courier service to ensure safe and timely delivery. Customers will receive a tracking number once the item has been shipped so that they can track their order. The shipping cost will be calculated based on the delivery location and will be added to the total cost of the order.

FAQ:

What is the brand name of this Inert Gas Fire Suppression System product?

The brand name of this product is RUIGANG.

What is the model number of the RUIGANG Inert Gas Fire Suppression System?

The model number of this product is QMH15/80-RG.

Where is the RUIGANG Inert Gas Fire Suppression System manufactured?

This product is manufactured in Guangzhou, Guangdong, China

What certifications does the RUIGANG Inert Gas Fire Suppression System have?

This product is certified by CCC, ISO, CMA, CAL, and CNAS.

What is the minimum order quantity for this product?

The minimum order quantity for this product is 1 set.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com