

200 Bar Inergen Ig541 Inergen Gas System With 37.5% Extinguishing Concentration

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Place of Origin: Guangzhou, Guangdong, China
- Brand Name: RUIGANG
- Certification: CCC/ISO/CMA/CAL/CNAS
- Model Number: QMH20/90-RG
- Minimum Order Quantity: 1 set
- Price: negotiation
- Packaging Details: Plywood outer box with bubble bag or paper
- Delivery Time: 10~15 working days
- Payment Terms: L/C, D/P, T/T, Western Union, Paypal, Credit card
- Supply Ability: 3000 sets per week



Because we are dedicated,
we are professional.



Product Specification

- Nitrogen Pressure Of Driving Device: 6.0MPa (20°C)
- Working Temperature: 0°C ~ +50°C
- Agent: IG541 Inert Gas
- Min. Extinguishing Concentration: 37.5%
- Max Working Pressure: 23.2MPa
- Working Pressure: 200 Bar
- Manufacturer: Guangzhou Ruigang Fire Fighting Equipment Co., LTD
- Cylinder Volume: 90L
- Outside Diameter Of Cylinder: $\Phi 279 \pm 10 \text{mm}$
- Height Of Cylinder: $1826 \pm 10 \text{mm}$

Product Description

Advanced IG541 Inert Gas Fire Suppression System with 37.5% Extinguishing Concentration

Product Description:

Product Name: Inert Gas Fire Suppression System

Manufacturer: Guangzhou Ruigang Fire Fighting Equipment Co., LTD

System Power Supply: DC24V/1.6A

High Light: IG541 Fire Suppression System / Non-polluting Inert Gas Fire Extinguishing System

Min. extinguishing concentration: 37.5%

Working Pressure: 20MPa

This product is an **inert gas fire suppression system** that uses non-polluting **inert gas** to extinguish fires. It is also known as the **IG541 fire suppression system**. The system has a system power supply of DC24V/1.6A and a minimum extinguishing concentration of 37.5%. The working pressure of the system is 20MPa.

Features:

Technical Parameters:

Trademark:	RUIGANG
High Light:	IG541 Fire Suppression System / Non-polluting Inert Gas Fire Extinguishing System
Height of Cylinder:	1826±10mm
Manufacturer:	Guangzhou Ruigang Fire Fighting Equipment Co., LTD
Storage Bottle Material:	Steel Gas Cylinder
Max Working Pressure:	23.2MPa
Transport Package:	Wooden Box
Size:	90L
Actuation:	Automatic Or Manual Start
Weight of agent:	25.3KG

Applications:

The QMH20/90-RG model is manufactured in Guangzhou, Guangdong, China and is certified by CCC, ISO, CMA, CAL, and CNAS. The minimum order quantity is 1 set and the price is negotiable. The product is packaged in a plywood outer box with a bubble bag or paper, and has a delivery time of 10-15 working days. Payment terms include L/C, D/P, T/T, Western Union, Paypal, and Credit card. The supply ability is 3000 sets per month.

The QMH20/90-RG has a maximum working pressure of 23.2MPa and uses a steel gas cylinder to store the IG541 inert gas. The weight of the agent is 25.3KG and the outside diameter of the cylinder is $\Phi 279 \pm 10$ mm. This product is manufactured by Guangzhou Ruigang Fire Fighting Equipment Co., LTD, a well-known manufacturer in the fire fighting industry.

This product is ideal for a range of application occasions and scenarios, including:

Computer rooms

Telecommunication centers

Museums and art galleries

Power plants

Flammable liquid storage areas

Chemical processing plants

The IG541 inert gas used in this fire suppression system is safe for use in occupied spaces and does not leave any residue or damage to equipment. This makes it an ideal choice for protecting sensitive equipment and valuable assets.

Overall, the RUIGANG QMH20/90-RG Inert Gas Fire Suppression System is a reliable and effective solution for protecting your property from fire. Its use of IG541 inert gas, along with its high quality manufacturing and certifications, make it a top choice for a wide range of industries and applications.

Support and Services:

The Inert Gas Fire Suppression System is a state-of-the-art product designed to suppress and extinguish fires quickly and efficiently. Our technical support and services team is available to assist with any questions or concerns you may have regarding the installation, maintenance, or operation of your system.

We offer comprehensive training and education programs to ensure that your staff is fully trained on the proper use and maintenance of the system. Our team of experts is also available to perform routine inspections and preventative maintenance to ensure that your system is always operating at peak performance.

If you ever experience any issues with your system, our support team is available 24/7 to provide assistance and troubleshoot any problems. Our goal is to provide you with the highest level of support and service to ensure that your Inert Gas Fire Suppression System is always functioning properly and keeping your facility safe from fires.

Packing and Shipping:

Product Packaging:

The Inert Gas Fire Suppression System will be packaged in a sturdy cardboard box.
The box will be labeled with the product name, model number, and company logo.
Inside the box, the system will be securely placed in a foam insert to prevent damage during shipping.
The package will also include a user manual and installation guide.

Shipping:

The Inert Gas Fire Suppression System will be shipped via a reputable courier service.
Shipping will be provided to customers in the continental United States.
A tracking number will be provided to the customer once the product has shipped.
Delivery times may vary depending on the customer's location.
If the product arrives damaged, customers should contact our customer service team immediately for a replacement.

FAQ:

A1: The brand name of this Inert Gas Fire Suppression System is RUIGANG.
Q2: What is the model number of this Inert Gas Fire Suppression System?
A2: The model number of this Inert Gas Fire Suppression System is QMH20/90-RG.
Q3: Where is this Inert Gas Fire Suppression System manufactured?
A3: This Inert Gas Fire Suppression System is manufactured in Guangzhou, Guangdong, China.
Q4: What certifications does this Inert Gas Fire Suppression System have?
A4: This Inert Gas Fire Suppression System is certified by CCC/ISO/CMA/CAL/CNAS.
Q5: What is the minimum order quantity for this Inert Gas Fire Suppression System?
A5: The minimum order quantity for this Inert Gas Fire Suppression System is 1 set.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou