

300mm Internal Diameter Fm 200 Gas Cylinder Capacity 40L

Our Product Introduction

Basic Information

- Place of Origin: Guangzhou, Guangdong, China
- Brand Name: RUIGANG
- Certification: CCC/ISO/CMA/CAL/CNAS
- Model Number: QMP40/2.5RG
- Minimum Order Quantity: 10 set
- Price: negotiation
- Packaging Details: Plywood case
- Delivery Time: 10~15 working days
- Payment Terms: L/C, D/P, T/T, Western Union, Paypal, Credit card
- Supply Ability: 3000 sets per week



Because we are dedicated,
so we are professional.



Product Specification

- Cylinder Wall Thickness: 4.1mm
- Working Pressure: 25 Bar
- Capacity: 40L
- Internal Diameter: 300mm
- Service Life: 20 Years
- Cylinder Color: Red
- Cylinder Material: Steel
- Storage Pressure: 2.5MPa
- Highlight: 300mm fm 200 gas cylinder,
300mm fm 200 cylinder gas pressure,
40l fm 200 gas cylinder

Product Description

300mm Internal Diameter FM 200 Steel Cylinder with 4.1mm Wall and 25 Bar Working Pressure

Product Description:

The FM200 Cylinder comes in two types of valve: manual and electric. The manual valve is operated by hand, while the electric valve is operated by a remote control. Both types of valves are reliable and easy to operate.

The cylinder has a working pressure of 25 Bar, which is the pressure at which the FM200 gas is released into the fire suppression system. The storage pressure of the cylinder is 2.5MPa, which is the pressure at which the cylinder is filled with the FM200 gas. The cylinder has an internal diameter of 300mm, which allows for a large storage capacity of FM200 gas.

The cylinder wall thickness is 4.1mm, which provides added protection and durability. The thickness of the cylinder wall ensures that it can withstand the high pressure and extreme temperatures that are associated with fire suppression systems.

The FM200 Cylinder is an essential component for any fire suppression system. It provides a safe and reliable way to store the FM200 gas that is used to extinguish fires. The cylinder is made of high-quality materials and is built to last. It is an investment that will provide peace of mind knowing that your fire suppression system is equipped with the best possible equipment.

Overall, the FM200 Cylinder is a top-of-the-line gas cylinder that is designed to provide reliable and safe storage of the FM200 gas. It is an essential component for any fire suppression system and is made of high-quality materials that ensure durability and longevity. Whether you choose the manual or electric valve, you can be confident that the FM200 Cylinder will perform when you need it most.

Features:

Product Name: FM200 Cylinder

Capacity: 40

Internal Diameter: 300mm

Cylinder Wall Thickness: 4.1mm

Working Pressure: 25 Bar

Valve Type: Manual or Electric

Welded gas cylinder

Technical Parameters:

| | |
|-------------------------|--|
| Product Name | FM200 Cylinder |
| Product Type | Cylinder for Non Corrosive FM200 Fire Suppression System |
| Cylinder Color | Red |
| Internal Diameter | 300mm |
| Capacity | 40 |
| Valve Type | Manual or Electric |
| Working Pressure | 25 Bar |
| Cylinder Material | Steel Welded FM200 Cylinder |
| Cylinder Wall Thickness | 4.1mm |
| Height of Cylinder | 733±10mm |
| Storage Pressure | 2.5MPa |
| Service Life | 20 Years |

Applications:

The RUIGANG QMP40/2.5RG FM200 Cylinder is a high-quality steel bottle that is ideal for use in a variety of applications. With a capacity of 40, this steel welded FM200 cylinder is designed to provide reliable and effective fire suppression in a variety of environments.

Made in Guangzhou, Guangdong, China, this FM200 cylinder is certified by CCC/ISO/CMA/CAL/CNAS, ensuring that it meets the highest standards of quality and safety. The minimum order quantity for this product is 10 set, and the price is negotiable. The product comes in a plywood case packaging and has a delivery time of 10~15 working days after the order has been placed.

The RUIGANG QMP40/2.5RG FM200 Cylinder is versatile and can be used in a variety of different scenarios. It is suitable for use in data centers, archives, museums, libraries, hospitals, banks, and other places where fire suppression is critical. The cylinder color is red, making it easy to locate and access during an emergency. The height of the cylinder is 733±10mm, making it easy to store and transport.

This steel welded FM200 cylinder has a storage pressure of 2.5MPa and a service life of up to 20 years. It is equipped with a pressure gauge that allows you to monitor the pressure levels and ensure that the cylinder is ready to use at all times. With a

supply ability of 3000 sets per week, this FM200 cylinder is readily available and can be quickly delivered to your location. When it comes to fire suppression, you need a product that you can rely on. The RUIGANG QMP40/2.5RG FM200 Cylinder is a high-quality product that is designed to provide reliable and effective fire suppression in a variety of applications. Whether you are protecting a data center, museum, or hospital, this steel welded FM200 cylinder is the perfect solution. Order now and get the peace of mind that comes with knowing that you are protected by the best fire suppression system available.

Packing and Shipping:

Product Packaging:

One FM 200 Cylinder

Protective Cap

User Manual

Shipping:

Ships within 3-5 business days

Shipping to international locations available for an additional fee



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou