



# Capacity 180L Red FM200 Cylinder With 450mm Diameter 4.2MPa Storage Pressure

### **Basic Information**

• Place of Origin: Guangzhou, Guangdong, China

Brand Name: RUIGANG

• Certification: CCC/ISO/CMA/CAL/CNAS

Model Number: QMP180/4.2RG

 Minimum Order Quantity: 10 set

• Price:

negotiation
Plywood case

Packaging Details:Delivery Time:

10~15 working days

• Payment Terms:

L/C, D/P, T/T, Western Union, Paypal, Credit

card

• Supply Ability: 3000 sets per week



## **Product Specification**

Service Life: 20 YearsCylinder Wall 7.7mm

Thickness:

• Capacity: 180

• Cylinder Color: Red

Height Of Cylinder: 1328±5mm
Working Pressure: 42 Bar
Internal Diameter: 450mm
Storage Pressure: 4.2MPa

Highlight: 1801 fm 200 cylinder, 1801 fm 200 cylinders,

450mm fm 200 cylinder

#### **Product Description**

Capacity 180L Red FM200 Cylinder With 450mm Diameter 4.2MPa Storage Pressure

## **Product Description:**

One of the key features of the FM 200 Cylinder is its impressive service life of 20 years. This means that you can rely on this cylinder for years to come, making it a cost-effective solution for your gas storage needs.

The working pressure of the FM 200 Cylinder is 42 Bar, making it suitable for a range of applications. Whether you are using it for fire suppression or other industrial purposes, you can be confident that this cylinder will deliver the performance you need.

The height of the cylinder is 1328±10mm, making it easy to store and transport. The cylinder wall thickness is 7.7mm, ensuring that it is strong enough to withstand the rigors of daily use.

Don't settle for a subpar gas storage solution. Choose the FM 200 Cylinder for a reliable and durable steel cylinder that will meet your needs and exceed your expectations.

#### Features:

Gas Cylinder: FM 200 Cylinders Valve Type: Manual Or Electric

Cylinder Color: Red

Height of Cylinder: 1328±10mm Storage Pressure: 4.2MPa

Capacity: 180

#### **Technical Parameters:**

[	T
Height of Cylinder	1328±5mm
Service Life	20 Years
Working Pressure	25 Bar
Cylinder Color	Red
Valve Type	Manual Or Electric
Internal Diameter	450mm
Cylinder Wall Thickness	7.7mm
Cylinder Material	Steel Bottle, Steel Bottle, Steel Welded FM200 Cylinder
Capacity	180
Storage Pressure	4.2MPa

#### **Applications:**

The FM200 Cylinder is suitable for a range of applications and scenarios, including:

Computer rooms

Data centers

Telecommunication facilities

Server rooms

Control rooms

Museums and art galleries

Libraries

Archive rooms

Electrical rooms

Switchgear rooms

The FM200 Cylinder has been certified by CCC/ISO/CMA/CAL/CNAS, which means that it meets international standards for quality and safety. This certification ensures that you can trust the FM200 Cylinder to work when you need it most.

The minimum order quantity for the FM200 Cylinder is 10 sets, and the price is negotiable. The packaging details for the cylinder are plywood cases, and the delivery time is 10-15 working days. Payment terms include L/C, D/P, T/T, Western Union, Paypal, and Credit card. The supply ability for the cylinder is 3000 sets per week.

The FM200 Cylinder is a red Steel Welded Cylinder, with a cylinder wall thickness of 7.7mm and a height of 1328±5mm. It has a service life of 20 years and a capacity of 180. This cylinder is a reliable and effective fire suppression system that can protect your property and your peace of mind.

## **Packing and Shipping:**

Product Packaging:

The FM 200 Cylinders are packaged in durable cardboard boxes.

The boxes are labeled with the product name, quantity, and weight.

Each cylinder is securely fitted with foam padding to prevent damage during shipping.

Shipping:

Orders are processed within 24 hours of receiving payment.

We use reliable shipping carriers to ensure timely and safe delivery of your order.

Customers will receive a tracking number once their order has shipped.



## Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou