



Compact 24V/1.6A Fire Extinguishing System For Electrical

Basic Information

• Place of Origin: Guangzhou, Guangdong, China

• Brand Name: RUIGANG

CCC/ISO9001/ISO45001/ISO14001/ISO10012 · Certification:

• Model Number: GQQ40/2.5RG GQQ70/2.5RG

> GQQ90/2.5RG GQQ100/2.5RG GQQ120/2.5RG GQQ150/2.5RG

GQQ180/2.5RG

Minimum Order

Quantity:

1 set

Price: negotiation

Plywood Outer Box With Bubble Bag Or · Packaging Details:

Paper

• Delivery Time: 10~15 working days

• Payment Terms: L/C, T/T,

• Supply Ability: 30000 sets / month



Product Specification

Installation: Easy To Install

· Cabinet Material: Steel

· Alarm System: Excluded

• Zone Management: Single

• Extinguishing Agent: FM200

DC24V/1.6A • Power:

· Cabinet Color: Red

• Fire Protection Level: Pattern Of Extinguishing

• Working Temperature: 0°C~50°C

· Working Pressure: 2.5Mpa

• Highlight: Compact Fire Extinguishing System,

Electrical Areas Fire Extinguishing System,

24V 1.6A Fire Extinguishing System

Product Description:

The FM200 clean agent fire suppression system is known for its ability to extinguish fires quickly and efficiently, without leaving any residue or causing any damage to the protected equipment or environment. The system is designed to provide a maximum spray time of 10 seconds, ensuring that fires are extinguished before they have a chance to spread and cause significant damage.

The FM200 Cabinet Fire Extinguishing System has a maximum working pressure of 4.2MPa, making it a powerful and effective fire suppression solution. The system is available in a range of capacities, from 40kg to 180kg, making it suitable for a wide range of applications and environments.

The FM200 clean agent used in this fire suppression system is a colorless, odorless, and electrically non-conductive gas that is safe for use around people and sensitive electronic equipment. This makes it an excellent choice for protecting critical equipment and environments from fire damage.

In addition to its effectiveness and safety, the FM200 Cabinet Fire Extinguishing System is also easy to install and maintain. The system is designed to be installed in a cabinet or other enclosed space, and can be easily integrated with existing fire alarm and suppression systems. Routine maintenance and inspections are simple and straightforward, ensuring that the system is always ready to protect your equipment and environment.

Overall, the FM200 Cabinet Fire Extinguishing System is an excellent choice for anyone looking for a reliable and effective fire suppression solution for enclosed spaces. With its fast-acting and residue-free FM200 clean agent, powerful working pressure, and easy installation and maintenance, this system is a top choice for protecting critical equipment and environments from fire damage. Fire Protection Level: Pattern Of Extinguishing

Keywords: fm200 clean agent fire suppression system, FM200 clean agent fire suppression system, hfc-227ea fm200

Applications:

The RUIGANG GQQ40/2.5RG, GQQ70/2.5RG, GQQ90/2.5RG, GQQ100/2.5RG, GQQ120/2.5RG, GQQ150/2.5RG, and GQQ180/2.5RG are all FM200 Cabinet Fire Extinguishing System products. These products are manufactured in Guangzhou, Guangdong, China and are certified by CCC/ISO9001/ISO45001/ISO14001/ISO10012.

The FM200 Cabinet Fire Extinguishing System is an automatic fire extinguishing system that uses HFC-227ea FM200 as a clean agent fire suppression system. The system is designed to quickly detect and suppress fires in enclosed spaces, such as computer rooms, data centers, libraries, museums, and archives. The system is effective in suppressing Class A, B, and C fires.

The FM200 Cabinet Fire Extinguishing System is easy to install and maintain. The system is equipped with a pressure gauge that indicates the system's status. The cabinet has a capacity of 40kg to 180kg and a max working pressure of 4.2MPa. The system's working temperature ranges from 0°C to 50°C. The system does not include an alarm system.

RUIGANG's FM200 Cabinet Fire Extinguishing System is an excellent choice for anyone looking for an efficient and effective automatic fire extinguishing system. The minimum order quantity is 1 set, and the price is negotiable. The packaging details include first polyfoam and then wooden cases. If the product is too big or the customer requires a pallet, the product will be made into a pallet. The delivery time is 10 to 15 working days, and the payment terms are L/C and T/T. The supply ability is 30,000 sets per month.

The FM200 Cabinet Fire Extinguishing System is suitable for many different application occasions and scenarios. The system is perfect for enclosed spaces that require fire suppression, such as computer rooms, data centers, libraries, museums, and archives. The system is also suitable for use in industrial settings, such as chemical plants, power plants, and manufacturing facilities. The system's pattern of extinguishing makes it effective in suppressing Class A, B, and C fires.

Support and Services:

The FM200 Cabinet Fire Extinguishing System is a highly effective fire suppression solution for small enclosed spaces. It is designed to extinguish fires quickly and efficiently, minimizing damage and downtime. Our technical support team is available to assist with installation, maintenance, and troubleshooting to ensure that your system is functioning properly at all times. We also offer training services to help your staff understand how to operate the system in case of an emergency.

Packing and Shipping:

Product Packaging:

FM200 Cabinet Fire Extinguishing System

Mounting bracket

User manual

Shipping

Product will be securely packed in a cardboard box

Box dimensions: 26 x 20 x 10 inches

Weight: 35 lbs

Shipping method: seaborne

Shipping cost: calculated at checkout



No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou