

Red PVC Foam Bladder Tank With 3% Foam Ratio Inlet And Outlet Flange Connection Horizontal

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order
 Quantity:
- Price: negotiation
- Packaging Details: Plywood Outer Box With Bubble Bag Or Paper

L/C, T/T

Guangzhou

RUIGANG

PHYM

1set

CCCF/CE/ISO

- Delivery Time: 15~20 work days
- Payment Terms:



🛃 广州瑞港消防设备有限公司

Product Specification

Color:	Red
Bladder Material:	PVC
Bladder Pressure:	0.6-1.2MPa
Outlet Connection:	Flange, Thread
Inlet Connection:	Flange, Thread
Pressure Gauge:	Included
Nominal Pressure:	1.2MPa
• Foam Mixing Ratio:	3%/6%
Proportional Mixer:	PHY4~PHY200
Strength Tests:	1.5MPa
Seal Test:	1.32MPa
Tank Volume:	1-18 m³

Highlight:



ht: horizontal PVC Foam Bladder Tank

Product Description:

The Proportioning Foam Bladder Tank is designed to deliver a reliable and efficient foam solution to extinguish fires. With a bladder pressure range of 0.6-1.2MPa and a working pressure range of 0.6-1.2MPa, this foam tank delivers consistent and reliable performance every time.

The tank is equipped with both flange and thread outlet connections, providing versatility and ease of installation. Additionally, the tank features flange and thread drain connections for convenient maintenance and cleaning.

Our Proportioning Foam Bladder Tank is ISO certified, ensuring the highest standards of quality and performance.

Whether it's for industrial or commercial use, the Proportioning Foam Bladder Tank is the perfect choice for reliable and efficient fire protection.



Applications:

The PHYM Proportioning Foam Bladder Tank is built to withstand tough environments. Its corrosion-resistant design ensures that it will last for years to come, even in harsh conditions. The bladder material is made from durable PVC, which can handle high pressures and is resistant to punctures and tears.

The included pressure relief valve ensures that the tank is always operating within safe limits. The working pressure range of 0.6-1.2MPa provides flexibility for a variety of applications. The tank is available in a vibrant red color, making it easy to spot in an emergency situation.

The PHYM Proportioning Foam Bladder Tank is versatile and can be used in a variety of scenarios. It can be connected using either a flange or thread inlet connection, making it easy to integrate into existing systems. Its small size makes it ideal for use in smaller spaces where space is limited.

Some of the common product application occasions for the PHYM Proportioning Foam Bladder Tank include: Industrial settings - such as factories, warehouses, and manufacturing plants - where there is a risk of fire

Commercial buildings - such as office buildings, hotels, and hospitals - where fire suppression systems are required by law

Public spaces - such as airports, train stations, and shopping malls - where large crowds of people could be at risk in the event of a fire Overall, the PHYM Proportioning Foam Bladder Tank is a reliable and effective solution for any fire suppression system. Its versatility and durability make it an excellent choice for a wide range of applications.

Customization:

RUIGANG PHYM Pressure-type Proportioning Mixing Device Foam solution tank is highly customizable to meet your specific needs. Made with high-quality PVC materials, this Proportioning Foam Bladder Tank is designed to withstand the harsh conditions of firefighting. It comes with a pressure relief valve and pressure gauge for added safety measures.

The RUIGANG PHYM Foam solution tank is available with flange or thread outlet connections, as well as flange or thread inlet

connections, making it easy to integrate into your existing firefighting system. Originating from Guangzhou, RUIGANG PHYM Pressure-type Proportioning Mixing Device Foam solution tank is a reliable and efficient addition to any firefighting operation.

Packing and Shipping:

Product Packaging:

The Proportioning Foam Bladder Tank will be securely packaged in a sturdy cardboard box. Inside the box, the tank will be wrapped in bubble wrap to prevent any damage during shipping. All necessary hardware and instructions will be included in the package. Shipping Information:

The Proportioning Foam Bladder Tank will be shipped via standard ground shipping. The estimated delivery time is 15-20 business days from the date of order.



