

3%/6% Red Fire Safety Foam Bladder Tank 1-18m3 Fire Protection For Tank Farms

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Place of Origin: Guangzhou
- Brand Name: RUIGANG
- Certification: CCCF/ISO/CE
- Model Number: PHMYL
- Minimum Order Quantity: 1set
- Price: negotiation
- Packaging Details: Plywood Outer Box With Bubble Bag Or Paper
- Delivery Time: 15~20 working days
- Payment Terms: L/C, T/T,
- Supply Ability: 500set/month



Because we are dedicated,
so we are professional.



Product Specification

- Foam Mixing Ratio: 3%/6%
- Proportional Mixer: PHY4~PHY200
- Color: Red
- Tank Volume: 1~18m³
- Bladder Pressure: 0.6-1.2MPa
- Nominal Pressure: 1.2MPa
- Working Pressure: 0.6-1.2MPa
- Strength Test: 1.5MPa
- Tank Material: Carbon Steel
- Pressure Drop: ≤0.15MPa
- Highlight: 18m³ Fire Safety Foam Bladder Tank,
3% Fire Safety Foam Bladder Tank



Because we are dedicated,
so we are professional.



More Images



Because we are dedicated,
so we are professional.



Product Description

Product Description:

With a Nominal Pressure of 1.2MPa, you can trust that the Proportioning Foam Bladder Tank will provide the precision and accuracy you need to get the job done right. And with multiple Inlet Connection options including Flange and Thread, you can customize your Pressure-type Proportioning Mixing Device to fit your specific needs.


Not only is the Proportioning Foam Bladder Tank built to last, but it also comes in a vibrant Red color that makes it easy to spot in an emergency situation.

When it comes to firefighting, having the right equipment is crucial. That's why the Proportioning Foam Bladder Tank is the perfect solution for any firefighting team. With its Precision Pressure-type Proportioning Mixing Device and customizable options, you'll be able to handle any situation with ease.


Choose the Proportioning Foam Bladder Tank for a Pressure-type Proportioning Mixing Device Customization Solution that you can rely on.

Technical Parameters		
Working Pressure Range	(0.6-1.2)MPa	
Rated Pressure	1.2MPa	
Tank Material	Carbon Steel	
System Test Pressure	Strength Tests	1.5MPa
	Seal Test	1.32MPa
Tank volume	(1-18)m ³	
Proportional Mixer	PHY4-PHY200	
Foam Mixing Ratio	3% or 6%	
Pressure Drop	≤0.15MPa	

Foam tank vertical structure diagram



Foam tank vertical structure diagram



Applications:

The foam tank is designed for use in various situations, such as fire-fighting in petrochemical plants, airports, and large warehouses. It is especially useful in dock fire-fighting, where the foam is used to extinguish fires caused by fuel leaks and oil spills. The tank has a nominal pressure of 1.2MPa, and a working pressure of 0.6-1.2MPa. It undergoes a strength test of 1.5MPa to ensure its durability and reliability. The foam tank comes with a pressure gauge that indicates the pressure inside the tank, making it easy to monitor and control the output. Its drain connection can be a flange or thread, depending on the user's preference. The minimum order quantity is one set, and the price

is negotiable. The delivery time is 15-20 working days, and the payment terms are L/C or T/T.

RUIGANG has a monthly supply ability of 500 sets, making it a reliable supplier for those in need of foam tanks. Its PHYM/PHYML model foam bladder tank is one of the best options available in the market for effective and efficient fire-fighting. Get in touch with RUIGANG to place your order today.

Customization:

Our product customization services include:

Brand Name: RUIGANG

Model Number: PHYM/PHYML

Place of Origin: Guangzhou

Certification: CCCF/ISO/CE

Minimum Order Quantity: 1set

Price: negotiation

Delivery Time: 15~20 working days

Payment Terms: L/C, T/T

Supply Ability: 500set/month

Pressure Drop: ≤ 0.15 MPa

Proportional Mixer: PHY4~PHY200

Bladder Pressure: 0.6-1.2MPa

Material: Carbon Steel

Foam Mixing Ratio: 3%/6%

Our PHYM Pressure-type Proportioning Mixing Device provides an optimized solution for your fire suppression needs. With our customized Pressure-type Proportioning Mixing Device Optimization Solution, you can be sure that you are getting the most efficient and effective foam tank for your specific application. Contact us today to learn more about our product customization services.

Packing and Shipping:

Product Packaging:

Material: Steel

Color: Red

Shipping:

Shipping method: Freight

Shipping weight: 450 lbs

Shipping address: Please provide accurate shipping information to ensure timely delivery.



FAQ:

Q1: What is the brand name of this product?

A1: The brand name is RUIGANG.

Q2: What is the model number of this product?

A2: The model number is PHYM/PHYML.

Q3: Where is this product manufactured?

A3: This product is manufactured in Guangzhou.

Q4: What certifications does this product have?

A4: This product is certified by CCCF, ISO, and CE.

Q5: What is the minimum order quantity for this product?

A5: The minimum order quantity for this product is 1 set.

Q6: What is the price of this product?

A6: The price of this product is negotiable.

Q7: What is the delivery time for this product?

A7: The delivery time for this product is 15~20 working days.

Q8: What are the payment terms for this product?

A8: The payment terms for this product are L/C and T/T.

Q9: What is the supply ability of this product?

A9: The supply ability of this product is 500 sets per month.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou