

Proportioning Bladder Foam Tanks For Firefighting In Industrial And Storage Areas

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Place of Origin: Guangzhou
- Brand Name: RUIGANG
- Certification: CCCF/ISO/CE
- Model Number: PHYM/PHYML
- Minimum Order Quantity: 1set
- Price: negotiation
- Packaging Details: Plywood Outer Box With Bubble Bag Or Paper
- Delivery Time: 15~20 working days
- Payment Terms: L/C, T/T,
- Supply Ability: 500set/month



Because we are dedicated,
so we are professional.



Product Specification

- Proportional Mixer: PHY4-PHY200
- Pressure Relief Valve: Included
- Bladder Material: PVC
- Nominal Pressure: 1.2MPa
- Seal Test: 1.32MPa
- Capacity: 1000-10000L
- Inlet Connection: Flange, Thread
- Drain Connection: Flange, Thread
- Foam Mixing Ratio: Foam Mixing Ratio
- Tank Volume: 1-18 m³
- Highlight: Industrial Proportioning Bladder Foam Tanks,
Firefighting Proportioning Bladder Foam Tanks,
Storage Areas Proportioning Bladder Foam Tanks



Because we are dedicated,
so we are professional.



Product Description

Product Description:

Our Proportioning Foam Bladder Tank is designed to provide reliable foam proportioning in fire protection systems. It operates at a working pressure range of 0.6-1.2MPa and includes a pressure gauge to monitor the pressure levels. Its pressure drop is minimal at ≤ 0.15 MPa, ensuring that the system operates efficiently.

Our foam tank has been tested to withstand a seal test at 1.32MPa, providing an added layer of safety and security for your fire protection system. This foam tank can be used in various applications, including industrial, commercial, and residential buildings.

Our Proportioning Foam Bladder Tank is easy to install and maintain, making it a cost-effective solution for your fire protection needs. Its high-efficiency foam tank design ensures that the foam is proportioned accurately and effectively, making it an essential component in any firefighting system.

Investing in our Proportioning Foam Bladder Tank means investing in the safety and protection of your property. This foam tank is designed to provide reliable performance, ensuring that your fire protection system is always ready to respond to any emergency situation.



**Because we are dedicated,
so we are professional.**



Applications:

The Proportioning Foam Bladder Tank is a mobile foam tank that can be customized to fit the specific needs of your application. It is a corrosion-resistant foam tank that is designed to withstand harsh environments and extreme conditions. The tank includes a pressure relief valve, a pressure gauge, and can handle a bladder pressure of 0.6-1.2MPa and a working pressure of 0.6-1.2MPa. The tank has undergone a strength test of 1.5MPa to ensure its durability and reliability.

This product is ideal for a variety of application occasions and scenarios. It can be used in industrial settings, such as oil and gas refineries, chemical plants, and manufacturing facilities. It can also be used in commercial settings, such as shopping centers, hotels, and office buildings. The Proportioning Foam Bladder Tank is also suitable for use in transportation settings, such as airports, train stations, and ports.

Overall, the Proportioning Foam Bladder Tank is a versatile and reliable solution for firefighting and emergency response scenarios. Its customization options, mobility, and corrosion-resistant design make it an ideal choice for a wide range of applications.

Customization:

RUIGANG offers product customization services for our Proportioning Foam Bladder Tank. Our small foam tank is available in two models, PHYM and PHYML, and is manufactured in Guangzhou. Our product is certified by CCCF, ISO, and CE, ensuring its quality and reliability.

We have no minimum order quantity and our prices are negotiable, making it easier for you to purchase our energy-saving foam tank. Our delivery time is 15-20 working days, and we accept payment terms of L/C and T/T. Our supply ability is 500 sets per month.

Our Proportioning Foam Bladder Tank has a bladder pressure of 0.6-1.2MPa and a working pressure of 0.6-1.2MPa. It has a capacity

range of 1000-10000L, and is available with both flange and thread inlet and drain connections.
Contact us today to customize your mobile foam tank to fit your specific needs.

Packing and Shipping:

Product Packaging:

One Proportioning Foam Bladder Tank

Installation and maintenance manual

Shipping:

Shipped via standard ground shipping

Expected delivery time is 15-20 business days



**Because we are dedicated,
so we are professional.**





FAQ:

Q: What is the brand name of the Proportioning Foam Bladder Tank?

A: The brand name of the Proportioning Foam Bladder Tank is RUIGANG.

Q: What are the model numbers available for the Proportioning Foam Bladder Tank?

A: The available model numbers for the Proportioning Foam Bladder Tank are PHYM and PHYML.

Q: Where is the Proportioning Foam Bladder Tank manufactured?

A: The Proportioning Foam Bladder Tank is manufactured in Guangzhou, China.

Q: What certifications does the Proportioning Foam Bladder Tank have?

A: The Proportioning Foam Bladder Tank has CCCF, ISO, and CE certifications.

Q: What is the minimum order quantity for the Proportioning Foam Bladder Tank?

A: The minimum order quantity for the Proportioning Foam Bladder Tank is 1 set.

Q: What is the price of the Proportioning Foam Bladder Tank?

A: The price of the Proportioning Foam Bladder Tank is subject to negotiation.

Q: What is the delivery time for the Proportioning Foam Bladder Tank?

A: The delivery time for the Proportioning Foam Bladder Tank is 15 to 20 working days.

Q: What are the payment terms for the Proportioning Foam Bladder Tank?

A: The payment terms for the Proportioning Foam Bladder Tank are L/C and T/T.

Q: What is the supply ability for the Proportioning Foam Bladder Tank?

A: The supply ability for the Proportioning Foam Bladder Tank is 500 sets per month.