

0.6-1.2MPa Foam Bladder Tank With Pressure Gauge And Flange Or Thread Connection

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Place of Origin: Guangzhou
- Brand Name: RUIGANG
- Certification: CCCF/ISO/CE
- Model Number: PHYM/PHYML
- Minimum Order Quantity: 1set
- Price: negotiation
- Packaging Details: Plywood Outer Box With Bubble Bag Or Paper
- Delivery Time: 15~20 working days
- Payment Terms: L/C, T/T,
- Supply Ability: 500set/month



Because we are dedicated,
so we are professional.



Product Specification

- Inlet Connection: Flange, Thread
- Pressure Gauge: Included
- Drain Connection: Flange, Thread
- Bladder Pressure: 0.6-1.2MPa
- Tank Volume: 1~18m³
- Material: Carbon Steel
- Color: Red
- Capacity: 1000-10000L
- Proportional Mixer: PHY4~PHY200
- Foam Mixing Ratio: 3% / 6%
- Highlight: Thread Connection Foam Bladder Tank,
Pressure Gauge Foam Bladder Tank,
1.2MPa Foam Bladder Tank



Because we are dedicated,
so we are professional.



More Images



Because we are dedicated,
so we are professional.



Product Description

Product Description:

The Proportioning Foam Bladder Tank has a working pressure of 0.6-1.2MPa and a nominal pressure of 1.2MPa. This means that it can withstand high pressures and deliver reliable performance when it matters most. The tank is easy to install and maintain, and it can be customized to meet the specific needs of different fire protection systems.

The Proportioning Foam Bladder Tank is an essential component of any fire protection system that requires foam concentrate. It is designed to store and proportion foam concentrate with water to create a foam solution that can effectively suppress fires. The tank is equipped with a bladder that separates the foam concentrate from the water, ensuring that the two substances do not mix until they are discharged.

The Proportioning Foam Bladder Tank is ideal for use in a variety of applications, including industrial plants, warehouses, airports, and other facilities. It is a reliable and cost-effective solution for fire protection, and it can be used in combination with other fire suppression systems to provide comprehensive protection.

Overall, the Proportioning Foam Bladder Tank is a versatile and dependable foam tank that is designed to meet the needs of modern fire protection systems. It is built with quality materials, including carbon steel, and it comes with a pressure relief valve for safe operation. With a working pressure of 0.6-1.2MPa and a nominal pressure of 1.2MPa, this tank can deliver reliable performance in even the most demanding environments. Whether you need a foam tank for an industrial plant, warehouse, or airport, the Proportioning Foam Bladder Tank is an excellent choice that will provide years of dependable service.

Technical Parameters		
Working Pressure Range	(0.6-1.2)MPa	
Rated Pressure	1.2MPa	
Tank Material	Carbon Steel	
System Test Pressure	Strength Tests	1.5MPa
	Seal Test	1.32MPa
Tank volume	(1-18)m ³	
Proportional Mixer	PHY4-PHY200	
Foam Mixing Ratio	3% / 6%	
Pressure Drop	≤0.15MPa	
Tank Color	Red	

Applications:

Whether it be for commercial or industrial use, this foam bladder tank is a reliable solution for fire suppression. The minimum order quantity is only 1 set, and the price is negotiable. Delivery time takes approximately 15-20 working days, and payment terms include L/C and T/T. The supply ability is 500 sets per month, ensuring availability for any sized project.

The Proportioning Foam Bladder Tank can be used in various applications, such as fire protection systems for high-rise buildings, petrochemical plants, airports, museums, and other industrial facilities. It can be used as a fixed foam tank, pressure foam tank, or foam solution tank, providing versatility and flexibility in firefighting.

The tank volume ranges from 1m³ to 18m³, with a capacity of 1000-10000L. The bladder pressure is 0.6-1.2MPa, and a pressure gauge is included for ease of monitoring. The drain connection options include flange or thread, accommodating various installation requirements.

Application Sites	
Factory	Chemical factory, Oil - fired power plant, Oil refineries

Repository	Aircraft hangar,Chemical warehouse,Flammable liquids warehouse
Petroleum	Oil field,Oil depot tank farm,Fuel station
Other	Underground car parks,Boiler room, etc.

Support and Services:

Our Proportioning Foam Bladder Tank product comes with a range of technical support and services to ensure that your system is running smoothly. Our team of experts can offer assistance with installation, maintenance, and troubleshooting, as well as provide training for your staff on how to operate and maintain the system. We also offer regular inspections and testing to ensure that your system is in compliance with industry standards and regulations. Additionally, we provide customized solutions to meet the specific needs of your facility and can assist with system design, engineering, and integration. Contact us today to learn more about our technical support and services for the Proportioning Foam Bladder Tank product.

Packing and Shipping:

Product Packaging:

One proportioning foam bladder tank

Installation and operation manual

Shipping:

The proportioning foam bladder tank will be securely packed in a sturdy cardboard box

Type of shipment:Maritime



FAQ:

Q: What is the brand name of the foam bladder tank?

A: The brand name of the foam bladder tank is RUIGANG.

Q: What are the model numbers available for the foam bladder tank?

A: The model numbers available for the foam bladder tank are PHYM and PHYML.

Q: Where is the foam bladder tank manufactured?

A: The foam bladder tank is manufactured in Guangzhou.

Q: What certifications does the foam bladder tank have?

A: The foam bladder tank has CCCF, ISO and CE certifications.

Q: What is the minimum order quantity for the foam bladder tank?

A: The minimum order quantity for the foam bladder tank is 1 set.

Q: What is the price of the foam bladder tank?

A: The price of the foam bladder tank is subject to negotiation.

Q: What is the delivery time for the foam bladder tank?

A: The delivery time for the foam bladder tank is 15~20 working days.

Q: What are the payment terms for the foam bladder tank?

A: The payment terms for the foam bladder tank are L/C and T/T.

Q: What is the supply ability of the foam bladder tank?

A: The supply ability of the foam bladder tank is 500 sets per month.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou