

广州瑞港消防设备有限公司 Pressure Proportional Mixing Foam Tank Carbon Steel Material Good Helper

For Fire Fighting

Basic Information

• Place of Origin: Guangzhou • Brand Name: **RUIGANG** CCCF/ISO/CE · Certification: • Model Number: PHYM/PHYML

• Minimum Order Quantity:

1set

• Price: negotiation

· Packaging Details: Plywood Outer Box With Bubble Bag Or

• Delivery Time: 15~20 working days

• Payment Terms: L/C, T/T, • Supply Ability: 500set/month



Product Specification

• Proportional Mixer: PHY4~PHY200

• Pressure Gauge: Included • Tank Volume: 1~18m³ · Strength Test: 1.5MPa • Bladder Pressure: 0.6-1.2MPa • Capacity: 1000-10000L • Pressure Drop: ≤0.15MPa 1.32MPa Seal Test: · Tank Material: Carbon Steel

• Highlight: Multiple Specifications Mixing Foam Tank,

> Carbon Steel Mixing Foam Tank, Fire Fighting Mixing Foam Tank



Product Description:

The bladder material of this foam bladder tank is made from high-quality PVC material, which is known for its durability and resistance to chemicals. With a working pressure range of 0.6-1.2MPa, this tank can effectively provide the required fire pressure-type proportioning mixing device for most fire suppression applications.

The Proportioning Foam Bladder Tank comes with inlet connections that can be either flange or thread, making it easy to install and integrate into existing fire suppression systems. With its compact and space-saving design, this tank can be installed in tight spaces without compromising its performance.

This foam bladder tank is an essential component in any fire protection system, and it is suitable for use in commercial, industrial, and residential buildings. It is designed to provide a reliable and efficient solution for firefighting, and it is easy to maintain and service. Overall, the Proportioning Foam Bladder Tank is a dependable and cost-effective solution for fire protection systems. Its pressure-type proportioning mixing device optimization solution ensures that the proper mixing of water and foam concentrate is achieved, and its stable pressure-type proportioning mixing equipment provides consistent and reliable performance. With its high-quality PVC bladder material, this tank is built to last and can withstand harsh environments. Invest in the Proportioning Foam Bladder Tank for your fire protection needs and ensure the safety of your property and personnel.

Applications:

The Proportioning Foam Bladder Tank is a corrosion-resistant foam tank that is perfect for a wide range of applications. It is ideal for use in small foam tank scenarios, such as in fire protection systems, petrochemical plants, and other industrial settings. This product is also incredibly versatile and can be used for both indoor and outdoor applications.

The Pressure-type Proportioning Mixing Device Customization Solution is an innovative feature that allows you to customize the foam mixing ratio to suit your specific needs. With a mixing ratio of either 3% or 6%, this product provides superior performance and reliability, no matter what your application requires.

When it comes to installation, the Proportioning Foam Bladder Tank is incredibly easy to set up and use. It features an inlet connection with both flange and thread options, making it easy to connect to your existing system. The carbon steel material ensures that it is durable and long-lasting, while the PVC bladder material provides excellent resistance to corrosion.

If you're looking for a high-quality and reliable foam bladder tank, then the RUIGANG Proportioning Foam Bladder Tank is the perfect choice for you. With a minimum order quantity of just 1 set, this product is perfect for both small and large-scale applications. Our supply ability of 500 sets per month ensures that we can meet your needs, no matter how big or small your project is. We offer competitive pricing and flexible payment terms, including L/C and T/T. Our delivery time is just 15-20 working days, ensuring that you get your product quickly and efficiently.

Choose RUIGANG for all your foam bladder tank needs and experience the difference that our high-quality products, exceptional customer service, and unbeatable value can make.

Customization:

The Proportioning Foam Bladder Tank has a working pressure range of 0.6-1.2MPa. It has two drain connection options: flange and thread. The proportional mixer options available are PHY4 to PHY200, and the foam mixing ratio options are 3% and 6%. The tank volume ranges from 1m³ to 18m³.

This Stable Pressure-type Proportioning Mixing Equipment can be customized to meet the specific requirements of customers. It is suitable for various applications, including Foam tank for dock fire-fighting.

Support and Services:

Our Proportioning Foam Bladder Tank product is designed to provide efficient and reliable fire suppression for a variety of applications. Our technical support team is available to assist with any questions or concerns related to the installation, operation, and maintenance of this product.

We also offer a range of services to ensure that your Proportioning Foam Bladder Tank operates at peak performance, including regular maintenance and inspections, repair services, and training programs for your staff. Our goal is to provide you with the highest level of support and service to ensure the safety and protection of your property and personnel.

Packing and Shipping:

Product Packaging:
One Proportioning Foam Bladder Tank
Instruction Manual
Shipping:
Ships within 15-20 business days
International shipping available at an additional cost



Because we are dedicated, so we are professional.



FAQ:

- Q1: What is the brand name of the foam bladder tank?
- A1: The brand name of the foam bladder tank is RUIGANG.
- Q2: What is the model number of the foam bladder tank?
- A2: The model number of the foam bladder tank is PHYM/PHYML.
- Q3: Where is the foam bladder tank manufactured?
- A3: The foam bladder tank is manufactured in Guangzhou.
- Q4: What certifications does the foam bladder tank have?
- A4: The foam bladder tank has CCCF, ISO, and CE certifications.
- Q5: What is the minimum order quantity of the foam bladder tank?
- A5: The minimum order quantity of the foam bladder tank is 1 set. The price is negotiable and the delivery time is 15-20 working days. Payment terms accepted are L/C and T/T. The supply ability is 500 sets per month.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou