

Efficient And Reliable Proportioning Bladder Foam Tanks For Firefighting In High Risk Industrial Zones

Our Product Introduction

Basic Information

- Place of Origin: Guangzhou
- Brand Name: RUIGANG
- Certification: CCCF/ISO/CE
- Model Number: PHYM/PHYML
- Minimum Order Quantity: 1set
- Price: negotiation
- Packaging Details: Plywood Outer Box With Bubble Bag Or Paper
- Delivery Time: 15~20 working days
- Payment Terms: L/C, T/T,
- Supply Ability: 500set/month



Because we are dedicated,
so we are professional.



Product Specification

- Proportional Mixer: PHY4~PHY200
- Pressure Drop: $\leq 0.15\text{MPa}$
- Tank Volume: $1\sim 18\text{m}^3$
- Pressure Relief Valve: Included
- Foam Mixing Ratio: 3%/6%
- Pressure Gauge: Included
- Bladder Material: PVC
- Inlet Connection: Flange, Thread
- Tank Color: Red
- Tank Material: Carbon Steel
- Highlight: **High Risk Proportioning Foam Bladder Tank,
Reliable Proportioning Foam Bladder Tank,
Firefighting Proportioning Foam Bladder Tank**



Because we are dedicated,
so we are professional.



Product Description

Product Description:

The Foam Mixing Ratio of this tank is available in 3% or 6%, ensuring that it can be customized to fit the specific needs of your operation. This feature makes it a versatile and adaptable solution for any firefighting operation.

The Drain Connection of the Proportioning Foam Bladder Tank comes in two options- Flange or Thread. This provides users with the flexibility to choose which connection type best suits their needs. Additionally, the tank's Capacity ranges from 1000-10000L, making it suitable for both small and large-scale firefighting operations.

The design of the Proportioning Foam Bladder Tank ensures that it provides a Pressure Drop of $\leq 0.15\text{MPa}$. This guarantees that the device can operate effectively, even under high-pressure conditions. Additionally, the Seal Test of 1.32MPa ensures that the tank is secure and reliable for firefighting operations.

Overall, the Proportioning Foam Bladder Tank is an excellent choice for any firefighting operation. Its versatility, flexibility, and efficiency make it a reliable and cost-effective solution for any fire department. Whether for use as a marine foam tank or in any other firefighting capacity, the Proportioning Foam Bladder Tank is a smart choice for any organization.

Technical Parameters		
Working Pressure Range	(0.6-1.2)MPa	
Rated Pressure	1.2MPa	
Tank Material	Carbon Steel	
System Test Pressure	Strength Tests	1.5MPa
	Seal Test	1.32MPa
Tank volume	(1-18)m ³	
Proportional Mixer	PHY4-PHY200	
Foam Mixing Ratio	3% / 6%	
Pressure Drop	$\leq 0.15\text{MPa}$	

Applications:

The RUIGANG Proportioning Foam Bladder Tank (Model Number: PHYM/PHYML) is a high-quality product that is manufactured in Guangzhou and certified by CCCF, ISO, and CE. The minimum order quantity for this product is 1 set, and the price can be negotiated with the supplier. The delivery time for this product is 15-20 working days, and the payment terms accepted are L/C and T/T. The supply ability for this product is 500 sets per month.

This foam bladder tank is suitable for a variety of different application occasions and scenarios. For example, it can be used as a small foam tank for fire extinguishing systems in buildings or other structures. The energy-saving foam tank can also be used in industrial settings, such as oil refineries or chemical plants. The foam mixing ratio for this product is either 3% or 6%, depending on the specific application requirements. The pressure relief valve and pressure gauge are included in the product, making it easy to use and monitor. The RUIGANG Proportioning Foam Bladder Tank has both inlet and drain connections that can be either flange or thread. This makes it easy to install and configure for different applications. The foam tank is designed to be durable and long-lasting, making it a reliable choice for any fire protection system. With its high-quality construction and excellent performance, the RUIGANG Proportioning Foam Bladder Tank is a top choice for anyone looking for a foam tank for oil fire or other applications.

Customization: Can be customised according to customer requirements.

Packing and Shipping:

Product Packaging:

Proportioning Foam Bladder Tank

Instruction manual

Mounting hardware

Shipping:

Product will be securely packaged in a sturdy box for safe shipping.

Shipping will be handled by a reliable carrier.

Tracking information will be provided once the product has been shipped.



Because we are dedicated,
so we are professional.



Because we are dedicated,
so we are professional.



FAQ:

Q1: What is the brand name of the Proportioning Foam Bladder Tank?

A1: The brand name of this product is RUIGANG.

Q2: What is the model number of the Proportioning Foam Bladder Tank?

A2: The model number of this product is PHYM/PHYML.

Q3: Where is the Proportioning Foam Bladder Tank made?

A3: This product is made in Guangzhou.

Q4: What certifications does the Proportioning Foam Bladder Tank have?

A4: This product has CCCF, ISO, and CE certifications.

Q5: What is the minimum order quantity for the Proportioning Foam Bladder Tank?

A5: The minimum order quantity for this product is 1 set.

Q6: What is the price range of the Proportioning Foam Bladder Tank?

A6: The price of this product is negotiable. Please contact us for more information.

Q7: What is the delivery time for the Proportioning Foam Bladder Tank?

A7: The delivery time for this product is 15-20 working days.

Q8: What are the payment terms for the Proportioning Foam Bladder Tank?

A8: The payment terms for this product are L/C and T/T.

Q9: What is the supply ability of the Proportioning Foam Bladder Tank?

A9: The supply ability of this product is 500 sets per month.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou