

Carbon Dioxide Fire Extinguisher: Filling Factor ≤ 0.68 and Pressure Gauge Equipment

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Place of Origin: Guangzhou
- Brand Name: RUIGANG
- Certification: CCS/CCCF/ISO
- Model Number: 5kg
- Minimum Order Quantity: 10set
- Price: negotiation
- Delivery Time: 10~15 working days
- Payment Terms: L/C,T/T,
- Supply Ability: 10000pcs/month



5kg

Product Specification

- Pressure Gauge: Yes
- Weight Of Extinguishant: 4.75~5.0
- Cylinder Material: Steel
- Filling Factor: ≤ 0.68
- Spraying Lag Time: ≤ 5
- Working Temperature: $-10 \sim +55^{\circ}\text{C}$
- Spray Residual Rate: $\leq 15\%$
- Safety Pin: Yes
- Safty Device Operating Pressure: 18~22MPa
- Effective Spraying Distance: $\geq 2.5\text{m}$
- Max. Working Pressure: 17 MPa



Product Description

Product Description:

This portable fire extinguisher is designed to be easily carried and used in case of emergencies. Its compact size makes it easy to store in your car, home, or office. This type of fire extinguisher is perfect for small to medium-sized fires and is a great addition to any fire safety plan.

The safety pin feature of this fire extinguisher ensures that it won't be accidentally discharged. The pin prevents the lever from being pressed and keeps the extinguisher from being used until it is intentionally pulled out. This safety feature is especially important in preventing accidental discharge and ensuring that the extinguisher is ready to use when needed.

The extinguishing agent used in this fire extinguisher is CO₂. This type of gas is commonly used in fire suppression as it is effective in smothering fires by displacing oxygen. CO₂ is also a clean agent, meaning it does not leave any residue or damage after use, making it a great choice for sensitive equipment or areas.

The effective spraying distance of this fire extinguisher is $\geq 2.0\text{m}/\geq 2.5\text{m}$. This means that you can be at a safe distance while still being able to effectively put out the fire. This feature is especially important in preventing injury and ensuring that the user can use the extinguisher safely.

In conclusion, if you're looking for a reliable and effective pressure fire extinguisher that is easy to use and store, our special-purpose CO₂ extinguisher is the perfect choice. Its portable size, safety pin feature, CO₂ extinguishing agent, and effective spraying distance make it a great addition to any fire safety plan.



Features:

Product Name: Fire Extinguisher

Weight of Extinguishant: 1.9~2.0/ 2.85~3.0/ 4.75~5.0/ 6.65~7.0

Cylinder Material: Steel

Spray Residual Rate: $\leq 15\%$

Effective Spraying Distance: $\geq 2.0\text{m}/\geq 2.5\text{m}$

Safety Pin: Yes

Multipurpose CO₂ extinguisher

CO₂ fire extinguisher

Firefighting equipment

Technical Parameters:

Product Attribute	Technical Parameter
Type	Portable Fire Extinguisher
Cylinder Material	Steel
Pressure Gauge	Yes
Max. Working Pressure	17.6MPa
Spray Residual Rate	$\leq 15\%$

Usage	Class A, B, C And E Fires
Effective Spraying Distance	≥2.0m/≥2.5m
Safety Device Operating Pressure	18~22MPa
Filling Factor	≤0.68
Effective Spraying Time	≥8 Seconds

This Industrial-grade CO2 extinguisher is ideal for a wide range of fire extinguishing applications.

Applications:

Our Fire Extinguisher with CO2 is manufactured in Guangzhou, ensuring that it meets the highest standards for quality and durability. It has passed the CCCF, ISO, CE, and CCS certifications, which attest to its safety and performance. Whether you need to put out fires in your home, office, or industrial setting, our Fire Extinguisher with CO2 is a great choice. It has a spray residual rate of ≤15%, which means that it can effectively extinguish fires without leaving a messy residue. Its safety device operating pressure of 18~22MPa ensures that it is safe to use and handle, even in high-pressure situations. Our Fire Extinguisher with CO2 has a working temperature of -10~+55°C, which makes it suitable for use in different environments. It also has a spraying lag time of ≤5, which means that it can quickly put out fires and prevent them from spreading. If you're looking for a reliable and effective fire extinguisher, look no further than RUIGANG. Our Fire Extinguisher with CO2 is available for a minimum order quantity of 10 sets, and the price is negotiable. We can deliver your order within 10~15 working days, and we accept payment terms of L/C and T/T. Our supply ability is 5000pcs/month, ensuring that we can meet your needs.

Customization:

FAQ:

Frequently Asked Questions:

Q: What is the brand name of the fire extinguisher?

A: The brand name of the fire extinguisher is RUIGANG.

Q: What are the available models for the fire extinguisher?

A: The available models for the fire extinguisher are 2kg, 3kg, 5kg, and 7kg.

Q: Where is the fire extinguisher made?

A: The fire extinguisher is made in Guangzhou, China.

Q: What certifications does the fire extinguisher have?

A: The fire extinguisher has CCCF, ISO, CE, and CCS certifications.

Q: What is the minimum order quantity for the fire extinguisher?

A: The minimum order quantity for the fire extinguisher is 10 sets.

Q: What is the price of the fire extinguisher?

A: The price of the fire extinguisher is negotiable.

Q: What is the delivery time for the fire extinguisher?

A: The delivery time for the fire extinguisher is 10-15 working days.

Q: What are the payment terms for the fire extinguisher?

A: The payment terms for the fire extinguisher are L/C and T/T.

Q: What is the supply ability of the fire extinguisher?

A: The supply ability of the fire extinguisher is 5000pcs/month.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou