

Advanced CO2 Fire Suppression Systems for Ships – Compliant with Marine Safety Standards

Our Product Introduction

Basic Information

- Place of Origin: GuangZhou, GuanDong, China
- Brand Name: RUIGANG
- Certification: CCS, BV
- Model Number: RG8/10/12/20/40/68
- Minimum Order Quantity: 1set
- Price: Negotiable
- Packaging Details: Plywood Outer Box With Bubble Bag Or Paper
- Delivery Time: 15~20 Worke Days
- Payment Terms: T/T, L/C
- Supply Ability: 500 Sets/ Month



Product Specification

- Color: Red
- Actuating Method: Pneumatic, manual
- Discharge Delay Time: 20~40s
- Agent: Carbon Dioxide CO2
- Nominal Pressure: 14.1MPa
- Working Pressure: 14.1 MPa
- Diaphragm Burst Pressure: 18.6±1MPa
- Propellant Gas: N2
- Highlight: **Ships Fire Suppression Systems, Advanced Fire Suppression Systems**

Product Description

Product Description:

The Marine Fire Extinguishing System is a crucial component for CO2 fire safety for ships and CO2 fire protection for vessels. Designed to meet the highest safety standards, this system provides reliable ship fire protection systems suitable for marine applications.

Key Product Attributes:

Working Pressure: 14.1 MPa

Diaphragm Burst Pressure: 18.6±1MPa

Propellant Gas: N2

Application: Marine

Discharge Delay Time: 20~40s

The Marine Fire Extinguishing System is engineered to provide efficient and rapid fire suppression capabilities in marine environments. With a working pressure of 14.1 MPa, this system ensures the effective deployment of the extinguishing agent when needed, offering reliable protection against fires on ships and vessels.

With a diaphragm burst pressure of 18.6±1MPa, the system is built to withstand high-pressure situations, ensuring its durability and performance under challenging conditions commonly encountered in marine settings. The use of N2 as the propellant gas further enhances the system's effectiveness and reliability in extinguishing fires swiftly and effectively.

Specifically designed for marine applications, this fire extinguishing system is tailored to meet the unique safety requirements of ships and vessels. Its efficient discharge delay time of 20~40s allows for prompt response to fire incidents, minimizing potential damage and enhancing overall fire safety measures onboard.

Overall, the Marine Fire Extinguishing System stands out as a vital component in ensuring CO2 fire safety for ships and CO2 fire protection for vessels. Its robust design, high-pressure tolerance, and quick response capabilities make it an essential asset for ship fire protection systems, providing peace of mind and enhanced safety for marine operations.

Applications:

The Marine Fire Extinguishing System is suitable for various product application occasions and scenarios, such as cargo ships, oil tankers, passenger ships, and more. Its nominal pressure of 14.1MPa and diaphragm burst pressure of 18.6±1MPa make it a powerful tool to combat fires effectively.

With a capacity range of 8L to 68L, this CO2 fire extinguisher offers different options to meet specific needs on board. The red color of the extinguisher makes it easily identifiable in case of emergencies.

When it comes to purchasing this Marine Fire Extinguishing System, the minimum order quantity is 1 set, and the price is negotiable. The packaging details include a plywood outer box with bubble bag or paper, ensuring safe delivery to your location.

With a delivery time of 15~20 working days, this product can be quickly obtained to enhance the fire safety measures on your vessel.

Payment terms accepted for this system include T/T and L/C, providing flexibility for the buyers.

RUIGANG Marine Fire Extinguishing System has a supply ability of 500 sets per month, making it readily available for shipowners and operators. Its agent, carbon dioxide (CO2), is known for its effectiveness in suppressing fires without leaving residue that can damage sensitive equipment.

In conclusion, for comprehensive marine fire extinguishing solutions, consider the CO2 Fire Extinguisher for Ship from RUIGANG. Trust in this product to provide reliable CO2 fire protection for vessels, ensuring the safety of crew members and cargo at sea.

Customization:

Product Customization Services:

Brand Name: RUIGANG

Model Number: RG8/10/12/20/40/68

Place Of Origin: Guangzhou, Guangdong, China

Certification: CCS, BV

Minimum Order Quantity: 1 set

Price: Negotiable

Packaging Details: Plywood Outer Box With Bubble Bag Or Paper

Delivery Time: 15~20 Work Days

Payment Terms: T/T, L/C

Supply Ability: 500 Sets/ Month

Warranty: 1 Year

Actuating Method: Pneumatic, manual

Diaphragm Burst Pressure: 18.6±1MPa

Working Pressure: 14.1 MPa

Agent: Carbon Dioxide CO2

Keywords: CO2 Fire Suppression System for Ships, Vessel CO2 Fire Extinguisher, Fire Suppression System for Marine Industry

Packing and Shipping:

Product Packaging:

The Marine Fire Extinguishing System comes securely packaged in a durable cardboard box to ensure safe delivery. Each component is carefully placed and protected with cushioning materials to prevent damage during transit.

Shipping Information:

We offer fast and reliable shipping for The Marine Fire Extinguishing System. Your order will be processed within 1-2 business days and shipped using a trusted carrier service to deliver the product to your doorstep in a timely manner.



FAQ:

A: The brand name is RUIGANG.

Q: What are the available models for the marine fire extinguishing system?

A: The available models are RG8/10/12/20/40/68.

Q: Where is the marine fire extinguishing system manufactured?

A: The marine fire extinguishing system is manufactured in Guangzhou, Guangdong, China.

Q: What certifications does the marine fire extinguishing system have?

A: The marine fire extinguishing system is certified by CCS and BV.

Q: What is the minimum order quantity for the marine fire extinguishing system?

A: The minimum order quantity is 1 set.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou