

Fast-Acting Clean Agent Fire Suppression | Cabinet-Mounted System for UPS Rooms & Lithium Battery Storage

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Place of Origin: Guangzhou, China
- Brand Name: RUIGANG
- Certification: CE/CCC/ISO9001/ISO45001/ISO14001/ISO10012
- Model Number: GQQ90*2/2.5RG
- Minimum Order Quantity: 1 Set
- Price: Negotiable
- Packaging Details: We Pack Products With First Polyfoam And Then The Wooden Cases. Once Products Are Too Big Or Customers Require A Pallet For Products, We Will Make Products A Pallet.
- Delivery Time: 10~15 Working Days
- Payment Terms: T/T, L/C,
- Supply Ability: 3000 Sets / Month



Product Specification

- Zone Management: Single
- Cabinet Weight: 42~46kg
- Discharge Pressure: $5.6 \pm 0.28 \text{ MPa}$
- Working Pressure: 2.5MPa
- Materials For Cylinders: Carbon Steel
- Filling Density: 1120 kg/m^3
- Installation: Easy To Install
- Warranty: 1 Year
- Color: Red
- Max Working Pressure: 4.2MPa
- Working Temperature: $0^\circ\text{C} \sim 50^\circ\text{C}$
- Discharge Time: 10S
- Filling Pressure: 2.5MPa



Product Description

Product Description:

The FM200 Cabinet Fire Extinguishing System is an advanced automatic fire extinguishing system designed to provide efficient and reliable fire protection for various applications. With its cutting-edge technology and superior performance, this FM200 extinguishing system is a top choice for safeguarding valuable assets and ensuring the safety of occupants in commercial and industrial settings. As a Cabinet Fire Extinguishing System, this product is specifically engineered to be installed in cabinets or enclosures to quickly suppress fires and prevent extensive damage to equipment and property. The FM200 agent used in this system has a filling density of 1120kg/m³, ensuring a sufficient amount of extinguishing agent is released to effectively extinguish fires in enclosed spaces. Operating on a power supply of 220V AC, the FM200 Cabinet Fire Extinguishing System is capable of activating automatically in the event of a fire, providing a rapid response to contain and extinguish the flames before they escalate. This automatic functionality ensures that fires are detected and suppressed without the need for human intervention, reducing the risk of injury and minimizing property loss. As a leading product in the category of Fire Extinguishing Systems, the FM200 Cabinet Fire Extinguishing System offers reliable fire protection with its discharge pressure of 5.6±0.28MPa. This high discharge pressure enables the FM200 agent to be distributed evenly and effectively throughout the protected area, covering all fire hazards and extinguishing flames swiftly. With its advanced features and robust design, the FM200 Cabinet Fire Extinguishing System is a dependable solution for fire safety in a wide range of environments, including server rooms, control rooms, data centers, and other critical facilities. The FM200 agent is non-conductive and non-corrosive, making it safe for use around sensitive electronic equipment and valuable assets. When it comes to protecting your property and assets from the devastating effects of fire, the FM200 Cabinet Fire Extinguishing System stands out as a reliable and effective fire suppression solution. Its automatic operation, high filling density, and discharge pressure make it a top choice for businesses and organizations looking to enhance their fire safety measures and mitigate the risk of fire-related incidents.



Applications:

The RUIGANG FM200 Cabinet Fire Extinguishing System (Model: GQQ90*2/2.5RG) is a reliable and efficient firefighting equipment designed to protect valuable assets from fire hazards. This advanced system is filled with HFC-227ea FM200, known for its quick response time and effective fire suppression capabilities. With certifications including CE, CCC, ISO9001, ISO45001, ISO14001, and ISO10012, you can trust the quality and safety standards of this product. The system is manufactured in GUANGZHOU and has a minimum order quantity of 1 set with a negotiable price. When it comes to packaging, rest assured that we prioritize the protection of the product during transportation. We pack the FM200 system with first polyfoam and then wooden cases. For larger products or upon customer request, we also offer pallet packaging. Our delivery time for the FM200 Cabinet Fire Extinguishing System is 10 to 15 working days, ensuring that you receive your firefighting equipment promptly. Payment terms accepted include T/T and L/C, providing flexibility for our customers. Operating at a discharge pressure of 5.6±0.28MPa and requiring a power supply of 220V AC, this system offers a filling density of 1120kg/m³. The cabinet size is 950mm x 450mm x 1600mm, suitable for various installation locations. Whether it's for industrial facilities, data centers, server rooms, or other sensitive environments, the RUIGANG FM200 Cabinet Fire Extinguishing System is the ideal choice for fire protection. With a zone management feature for single areas, this system ensures targeted fire suppression without causing damage to surrounding areas.

Benefit from our supply ability of 3000 sets per month and equip your space with a reliable fire extinguishing solution. Contact us today to learn more about the RUIGANG FM200 Cabinet Fire Extinguishing System and enhance the safety of your premises.

Packing and Shipping:

Product Packaging and Shipping for the FM200 Cabinet Fire Extinguishing System:

The FM200 Cabinet Fire Extinguishing System is carefully packaged to ensure safe delivery to our customers. The system is securely placed in a sturdy cardboard box with ample padding to prevent any damage during transport. Additionally, the packaging is clearly labeled with handling instructions and warnings to ensure proper care during shipping.

Shipping Information:

- Shipping Method: We use reputable carriers to deliver the FM200 Cabinet Fire Extinguishing System to your location.
- Shipping Time: Delivery time may vary based on your location and shipping method chosen. Please refer to the estimated delivery time provided during the checkout process.
- Shipping Cost: Shipping cost is calculated based on the weight of the package and the delivery location. You will be able to view the shipping cost before completing your purchase.



FAQ:

Q: What is the brand name of the FM200 Cabinet Fire Extinguishing System?

A: The brand name is RUIGANG.

Q: What is the model number of the FM200 Cabinet Fire Extinguishing System?

A: The model number is GQQ90*2/2.5RG.

Q: Where is the FM200 Cabinet Fire Extinguishing System manufactured?

A: The product is manufactured in GUANGZHOU.

Q: What certifications does the FM200 Cabinet Fire Extinguishing System have?

A: The system is certified with CE/CCC/ISO9001/ISO45001/ISO14001/ISO10012.

Q: What are the payment terms for purchasing the FM200 Cabinet Fire Extinguishing System?

A: The payment terms accepted are T/T and L/C.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou