

Automatic Fire Suppression System | Cabinet-Mounted HFC-227ea for Industrial Facilities & Telecom Hubs

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Brand Name: RUIGANG
- Certification: CE/CCC/ISO9001/ISO45001/ISO14001/ISO10012
- Model Number: GQQ90*2/2.5RG
- Minimum Order Quantity: 1 Set
- Price: Negotiable
- Packaging Details: We Pack Products With First Polyfoam And Then The Wooden Cases. Once Products Are Too Big Or Customers Require A Pallet For Products, We Will Make Products A Pallet.
- Delivery Time: 10~15 Working Days
- Payment Terms: T/T,L/C,
- Supply Ability: 3000 Sets / Month



Product Specification

- Maximum Protective Volume: 326m³
- Temperature Range: 0°C ~ +50°C
- Fire Extinguishing Time: 10 Seconds
- Spray Time: 10 Seconds
- Installation: Easy To Install
- Actuation: Automatic Or Manual Start
- Discharge Time: 10 Seconds
- Cylinder Color: Red
- Max Filling Rate: 0.95kg/L
- Filling Pressure: 2.5MPa
- Discharge Pressure: 5.6±0.28MPa
- Max Working Pressure: 4.5MPa



Product Description

Product Description:

The FM200 Cabinet Fire Extinguishing System is an essential product designed to provide reliable and efficient fire suppression in various settings. This advanced system is known for its effectiveness and quick response, making it a top choice for protecting valuable assets and ensuring the safety of occupants.

Featuring a vibrant red colour, the FM200 Cabinet Fire Extinguishing System is highly visible and easy to locate in case of emergencies. The red cabinet colour serves as a visual reminder of the system's presence, allowing for quick access and activation when needed.

With a working temperature range of 0°C to 50°C, this FM200 fire extinguisher system is suitable for use in a wide range of environments. Whether installed in industrial facilities, server rooms, or office spaces, this system is designed to perform reliably even under varying temperature conditions.

The FM200 Cabinet Fire Extinguishing System offers flexible actuation options, allowing users to trigger the system either automatically or manually. This versatility ensures that the system can be tailored to specific needs and preferences, providing users with peace of mind and control over their fire suppression measures.

Operating within a temperature range of -10°C to 50°C, the FM200 Cabinet Fire Extinguishing System is engineered to withstand harsh conditions and deliver consistent performance. This wide operating temperature range makes the system ideal for use in diverse climates and settings, ensuring reliable fire protection year-round.

Designed to complement its high-performance features, the red cabinet colour of the FM200 Cabinet Fire Extinguishing System enhances its visibility and aesthetic appeal. The red cabinet not only adds a touch of sophistication to any space but also serves as a clear indicator of the system's purpose, promoting safety and awareness.

When it comes to fire safety, the FM200 Cabinet Fire Extinguishing System stands out as a trusted solution for reliable and effective fire suppression. With its red colour, flexible actuation options, wide temperature range, and durable design, this FM 200 suppression system is a valuable addition to any environment seeking optimal fire protection.



Features:

Product Name: FM200 Cabinet Fire Extinguishing System

Power: DC24V/1.6A

Spray Time: 10 Seconds

Installation: Easy To Install

Working Temperature: 0°C~50°C

Fire Extinguishing Time: 10 Seconds

Technical Parameters:

Maximum Protective Volume	326m³
Cabinet Color	Red
Spray Time	10 Seconds
Cabinet Capacity	90L
Discharge Time	10 Seconds
Actuation	Automatic Or Manual Start
Operating Temperature	-10°C To 50°C
Storage Pressures	2.5MPa
Working Temperature	0°C~50°C
Colour	Red

Applications:

The RUIGANG GQQ120*2/2.5RG FM200 Cabinet Fire Extinguishing System is a cutting-edge product designed to provide efficient fire protection in various settings. This FM200 Automatic fire extinguishing system is ideal for a range of application occasions and scenarios due to its advanced features and certifications.

Originating from GUANGZHOU, this FM200 system is certified with CE, CCC, ISO9001, ISO45001, ISO14001, and ISO10012, ensuring high quality and reliability. With a minimum order quantity of just 1 set and a negotiable price, it offers flexibility for different customer needs.

When it comes to packaging, RUIGANG takes care to pack the products with first polyfoam followed by wooden cases. For larger products or customer-specific requirements, pallets can also be provided. The delivery time for this FM200 system is quick, ranging from 10 to 15 working days, allowing for swift deployment in emergency situations.

Payment terms include T/T and L/C, providing convenience for customers. With a supply ability of 3000 sets per month, RUIGANG ensures that the FM200 Cabinet Fire Extinguishing System is readily available when needed.

Key technical specifications of this system include a spray time of 10 seconds, DC24V/1.6A power supply, storage pressure of 2.5MPa, and a working temperature range from 0°C to 50°C. The system can be actuated either automatically or manually, offering versatility in operation.

Whether used in commercial buildings, data centers, server rooms, or other critical environments, this FM200 system plays a vital role in ensuring firefighter safety and protecting valuable assets. Its reliable performance and quick response make it a valuable addition to any fire protection strategy.



FAQ:

Q: What is the brand name of the FM200 Cabinet Fire Extinguishing System?
A: The brand name is RUIGANG.
Q: What is the model number of the FM200 Cabinet Fire Extinguishing System?
A: The model number is GQQ120*2/2.5RG.
Q: Where is the FM200 Cabinet Fire Extinguishing System manufactured?
A: It is manufactured in GUANGZHOU.
Q: What certifications does the FM200 Cabinet Fire Extinguishing System have?
A: It is certified with CE/CCC/ISO9001/ISO45001/ISO14001/ISO10012.
Q: What are the payment terms for purchasing the FM200 Cabinet Fire Extinguishing System?
A: The payment terms accepted are T/T and L/C.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou