

广州瑞港消防设备有限公司

FM200 Fire Suppression Cabinet: Eco-Friendly, Pre-engineered Protection for **Electrical Rooms & Energy Storage Containers**

Basic Information

• Brand Name: **RUIGANG**

CE/CCC/ISO9001/ISO45001/ISO14001/ISO10012 · Certification:

· Model Number: GQQ120*2/2.5RG

 Minimum Order Quantity:

1 Set

Price: Negotiable

· Packaging Details: We Pack Products With First Polyfoam And

> Then The Wooden Cases. Once Products Are Too Big Or Customers Require A Pallet For Products, We Will Make Products A

Pallet.

• Delivery Time: 10~15 Working Days

· Payment Terms: T/T,L/C,

• Supply Ability: 3000 Sets / Month



Product Specification

• Operating Temperature: -10°C To 50°C

• Discharge Time: 10 Seconds • Fire Extinguishing Time: 10 Seconds

· Installation: Easy To Install

• Colour: Red

Automatic Or Manual Start · Actuation:

0°C ~ +50°C • Temperature Range: DC24V/1.6A • Power: • Max Filling Rate: 0.95kg/L • Cylinder Capacity: 120L • Filling Pressure: 2.5MPa

• Highlight: FM200 Fire Suppression Cabinet



Product Description:

The FM200 Cabinet Fire Extinguishing System is an efficient and reliable solution for fire suppression in enclosed spaces. This system is designed to protect valuable assets and sensitive equipment from fire damage by utilizing hfc227ea fire suppression systems technology. Installation of the FM200 Cabinet Fire Extinguishing System is made easy with its user-friendly design. The system can be quickly and securely installed in various settings, ensuring that the protected area is equipped with reliable fire suppression capabilities.

The vibrant red color of the FM200 Cabinet Fire Extinguishing System makes it easily identifiable in case of emergencies. The bold red hue serves as a visual indicator of the system's presence, allowing for quick and efficient access during fire incidents.

With a spray time of 10 seconds, the FM200 Cabinet Fire Extinguishing System delivers rapid and effective fire suppression when activated. The quick response time ensures that fires are contained swiftly, minimizing potential damage and safeguarding the protected area.

The FM200 Cabinet Fire Extinguishing System is designed to protect a maximum volume of 326m³, making it suitable for a wide range of enclosed spaces. Whether it's a server room, control center, or storage facility, this system provides comprehensive fire suppression coverage for enhanced safety and peace of mind.

Not only does the FM200 Cabinet Fire Extinguishing System offer superior fire suppression capabilities, but it also features a matching red cabinet color for a cohesive and professional appearance. The consistent color scheme adds a touch of style to the overall design, blending seamlessly with the surroundings.

When it comes to reliable and efficient fire suppression, the FM200 Cabinet Fire Extinguishing System stands out as a top choice. With its hfc227ea fire suppression systems technology and hfc-227ea fm200 agent, this system delivers exceptional performance and peace of mind in fire protection.



Features:

Product Name: FM200 Cabinet Fire Extinguishing System

Discharge Time: 10 Seconds

Maximum Protective Volume: 326m³

Fire Extinguishing Time: 10 Seconds

Cabinet Color: Red Cabinet Capacity: 120L

Technical Parameters:

Colour	Red
Power	DC24V/1.6A
Cabinet Color	Red
Spray Time	10 Seconds
Fire Extinguishing Time	10 Seconds
Installation	Easy To Install
Working Temperature	0°C~50°C
Actuation	Automatic Or Manual Start
Max working Pressure	4.2MPa

Applications:

RUIGANG FM200 Cabinet Fire Extinguishing System (Model: GQQ120*2/2.5RG) is a versatile fire suppression solution suitable for various application occasions and scenarios. With its advanced features and certifications including CE, CCC, ISO9001, ISO45001, ISO14001, and ISO10012, this system is highly reliable and efficient in extinguishing fires.

The FM200 fire extinguisher system is manufactured in GUANGZHOU and has a minimum order quantity of 1 set. The price is negotiable, making it accessible for different budgets. The packaging details ensure safe delivery as products are packed with first polyfoam and then wooden cases. Additionally, pallets can be used for larger products or based on customer requirements.

With a delivery time of 10~15 working days, customers can quickly receive their orders. The payment terms accepted include T/T and L/C, offering flexibility in transactions. Moreover, the system has a supply ability of 3000 sets per month, ensuring availability for high-demand situations.

The cabinet fire extinguishing system has a capacity of 90L and can extinguish fires in just 10 seconds, providing swift and effective fire suppression. Operating at DC24V/1.6A, the system is suitable for a temperature range of 0°C to +50°C. It offers automatic or manual start options, enhancing usability and control.

Overall, the RUIGANG FM200 Cabinet Fire Extinguishing System is ideal for various scenarios that require a reliable and efficient fire suppression solution. Whether used in industrial settings, commercial spaces, or sensitive environments, the FM 200 system delivers quick and effective fire protection, ensuring safety and peace of mind.



FAQ:

- Q: What is the brand name of the FM200 Cabinet Fire Extinguishing System?
- A: The brand name is RUIGANG.
- Q: What is the model number of the FM200 Cabinet Fire Extinguishing System?

- A: The model number is GQQ120*2/2.5RG.
- Q: Where is the FM200 Cabinet Fire Extinguishing System manufactured?
- A: The product is manufactured in GUANGZHOU.
- Q: What certifications does the FM200 Cabinet Fire Extinguishing System have?
- A: The product is certified with CE/CCC/ISO9001/ISO45001/ISO14001/ISO10012.
- Q: What is the minimum order quantity for the FM200 Cabinet Fire Extinguishing System?
- A: The minimum order quantity is 1 Set.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou