

Commercial-Grade Mobile Foam Unit | Instant Foam Deployment for Fire Safety & Industrial Use

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Place of Origin: Guangzhou
- Brand Name: RUIGANG
- Certification: CCC/ISO/CMA/CAL/CNAS
- Model Number: PY8/200(6%)
- Minimum Order Quantity: 2set
- Price: Negotiation
- Packaging Details: Plywood Outer Box With Bubble Bag Or Paper
- Delivery Time: 10~15 Working Days
- Payment Terms: L/C,T/T,Western Union
- Supply Ability: 3000 Sets Per Week



Product Specification

- Color: Red
- Mixing Ratio: 6% | 3%
- Tank Volume: 100L/200L/300L/400L/500L/700L
- Discharge Distance: $\geq 15\text{m}$
- Discharge Time: $\geq 10\text{min}$
- Mixture Flow: 8L/S
- Weight Of Agent: 70~168 Kg
- Spraying Distance: 10 Or 20
- Highlight: 20 Spraying Distance Mobile Foam Unit, 8L/S Mobile Foam Unit, AFFF Mobile Foam Unit



Product Description

Product Description:

The Mobile Foam Unit is an essential foam extinguishing installation designed for quick and effective fire suppression in various settings. With a flow rate of 8L/S, this mobile froth apparatus is equipped to handle fires efficiently and swiftly.

One of the key features of this mobile froth apparatus is its foam type, which is Aqueous Film Forming Foam (AFFF). AFFF is known for its superior fire suppression capabilities, making it a reliable choice for combating different types of fires.

The Mobile Foam Unit comes in a vibrant red color, ensuring high visibility in emergency situations. The striking red hue makes it easy to locate and deploy, enhancing safety and response time during fire incidents.

With a mixture flow rate of 8L/S, this mobile froth apparatus delivers a powerful and consistent stream of foam for effective fire control.

The balanced mixture flow helps to optimize firefighting efforts and minimize potential damage.

Designed as a mobile unit, this foam extinguishing installation offers flexibility and portability for rapid deployment in various locations.

Whether in industrial settings, commercial buildings, or public spaces, the Mobile Foam Unit is ready to provide reliable fire suppression when needed.

Applications:

RUIGANG Mobile Foam Unit, model PY8/200(6%), is a versatile and reliable product that can be used in a variety of fire protection applications. With its origin in Guangzhou, China, this unit boasts certifications from CCC, ISO, CMA, CAL, and CNAS, ensuring top-notch quality and performance.

Designed for quick response in emergency situations, this mobile foam fire extinguishing unit is ideal for use in scenarios where a fixed froth installation may not be practical. Its compact design and easy maneuverability make it suitable for a wide range of occasions, including industrial facilities, warehouses, construction sites, and more.

With a minimum order quantity of 2 sets and a negotiable price, the RUIGANG Mobile Foam Unit is a cost-effective solution for fire protection needs. The packaging details include a plywood outer box with bubble bag or paper, ensuring safe transportation and storage. Customers can expect a delivery time of 10 to 15 working days, with payment terms available in L/C and T/T. The unit has a supply ability of 3000 sets per week, making it readily available for large-scale projects or emergency orders.

Key specifications of the RUIGANG Mobile Foam Unit include a discharge time of ≥ 10 minutes, a discharge distance of ≥ 15 meters, and a mixing ratio of 6%. The mixture flow rate is 8L/s, and the unit is available in tank volumes of 100L, 200L, 300L, 400L, 500L, and 700L to suit different application requirements.



Packing and Shipping:

Product Packaging:

The Mobile Foam Unit is packaged in a sturdy wooden case to ensure safe delivery. The unit is securely wrapped in protective packaging to prevent any damage during transit.

Shipping:

The Mobile Foam Unit is shipped using a reliable courier service. It is carefully handled to avoid any mishandling during transportation. Once shipped, you will receive a tracking number to monitor the delivery status of your order.

FAQ:

Q: What is the brand name of this Mobile Foam Unit product?

A: The brand name is RUIGANG.

Q: What is the model number of this Mobile Foam Unit product?

A: The model number is PY8/200(6%).

Q: Where is this Mobile Foam Unit product manufactured?

A: It is manufactured in Guangzhou, China.

Q: What certifications does this Mobile Foam Unit product have?

A: It is certified by CCC/ISO/CMA/CAL/CNAS.

Q: What is the minimum order quantity for this Mobile Foam Unit product?

A: The minimum order quantity is 2 sets.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou