

Fire Safety Proportioning Foam Bladder Tank High-Capacity Corrosion-Resistant For Emergency Systems

Our Product Introduction

for more products please visit us on firefm200.com

Basic Information

- Brand Name: RUIGANG
- Certification: CCCF/ISO/CCS
- Model Number: PHYM
- Minimum Order Quantity: 1set
- Price: Negotiation
- Packaging Details: Plywood Outer Box With Bubble Bag Or Paper
- Delivery Time: 15~20 Working Days
- Payment Terms: L/C,T/T,, Western Union
- Supply Ability: 500set/month



Product Specification

- Tank Coating: Epoxy Coating
- Tank Test Pressure: 1.2MPa
- Color: Red
- Pressure Relief Valve: Included
- Strength Test: 1.5MPa
- Working Pressure: 0.6MPa
- Tank Volume: 1-18 m³
- Nominal Pressure: 1.2MPa
- Highlight:
 - Emergency Systems Proportioning Foam Bladder Tank
 - High Capacity Proportioning Foam Bladder Tank
 - Corrosion-Resistant Proportioning Foam



Product Description

Product Description:

The Proportioning Foam Bladder Tank is a reliable and efficient solution for fire protection systems that require an accurate proportion pressure-type mixing device. This tank is designed to meet the demanding needs of firefighting applications, ensuring a consistent and effective foam supply during emergencies.

With a working pressure of 0.6MPa, the Proportioning Foam Bladder Tank is capable of delivering foam at the required pressure levels to effectively suppress fires. The bladder inside the tank has a maximum operating pressure of 0.6MPa, ensuring optimal performance and durability under high-pressure conditions.

For added reliability, the Proportioning Foam Bladder Tank has undergone rigorous strength testing, withstanding pressures of up to 1.5MPa to guarantee its structural integrity and safety during operation. This tank is built to withstand the demanding conditions of firefighting environments, providing peace of mind to users.

The Proportioning Foam Bladder Tank features a vibrant red color, ensuring high visibility and easy identification in emergency situations. The striking red color makes it easy for firefighters and emergency responders to locate the tank quickly, facilitating a prompt and effective response to fires.

In addition to its high-performance capabilities, the Proportioning Foam Bladder Tank is coated with epoxy coating for enhanced durability and corrosion resistance. The tank coating provides an additional layer of protection against environmental factors, ensuring long-term reliability and longevity for the tank.

Overall, the Proportioning Foam Bladder Tank is a versatile and dependable solution for firefighting applications that require a pressure foam tank with accurate proportioning capabilities. With its robust construction, high-pressure handling capacity, and durable coating, this tank is designed to deliver reliable foam supply and support effective fire suppression efforts.

Features:

Product Name: Proportioning Foam Bladder Tank

Strength Test: 1.5MPa

Nominal Pressure: 1.2MPa

Tank Color: Red

Working Pressure: 0.6MPa

Tank Test Pressure: 1.2MPa

Technical Parameters:

Tank Coating	Epoxy Coating
Foam Ratio	3%
Tank Volume	1-18 m ³
Working Pressure	0.6MPa
Tank Color	Red
Pressure Relief Valve	Included
Nominal Pressure	1.2MPa
Bladder Max. Operating Pressure	0.6MPa

Applications:

RUIGANG Proportioning Foam Bladder Tank, model PHYM, originates from Guangzhou, China. This high-quality tank is certified by CCCF/ISO, ensuring its reliability and safety for various applications. With a minimum order quantity of 1 set, the price is open for negotiation, making it accessible for different needs.

Designed for marine environments, the RUIGANG foam bladder tank is ideal for situations requiring efficient foam proportioning. Its red tank color and epoxy coating not only enhance durability but also provide a visually striking appearance, making it suitable for marine vessels, offshore platforms, and other marine applications.

The tank volume ranges from 1m³ to 18m³, catering to different scale requirements in marine settings. Operating at a working pressure of 0.6MPa, this tank delivers a foam ratio of 3%, ensuring high-efficiency foam discharge for firefighting and emergency response scenarios at sea.

With a supply ability of 500 sets per month, RUIGANG guarantees timely delivery within 15 to 20 working days. Customers can make payments through convenient options such as L/C and T/T, facilitating smooth transactions for acquiring this essential marine foam tank. Whether it's for equipping new vessels or upgrading existing firefighting systems, the RUIGANG Proportioning Foam Bladder Tank is a versatile solution for marine foam applications. Its robust construction, reliable performance, and certification standards make it a preferred choice for safeguarding lives and assets in marine environments.



Packing and Shipping:

Product Packaging for Proportioning Foam Bladder Tank:

- The Proportioning Foam Bladder Tank will be packaged securely in a sturdy cardboard box to prevent any damage during transit.
- Each tank will be wrapped in protective packaging material to ensure it arrives in perfect condition.
- The packaging will include instructions for proper handling and installation of the tank.

Shipping Information:

- The Proportioning Foam Bladder Tank will be shipped via a reliable courier service to ensure timely delivery.
- Customers will receive a tracking number to monitor the status of their shipment.
- Shipping costs will be calculated based on the destination and weight of the package.



Guangzhou Ruigang Fire-Fighting Equipment Co., Ltd.



+86 18124226119



18124226119@139.com



firefm200.com

No. 2, Zhongwei Road, Dongyong Town, Nansha District, Guangzhou