

Industrial-Grade Foam Bladder Tank With 1.5MPa Strength Test In Red Color

Basic Information

- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price: Negotiation

RUIGANG

CCCF/ISO

500set/month

PHYML

1set

- Packaging Details: Plywood Outer Box With Bubble Bag Or Paper
- Delivery Time: 15~20 Working Days
- Payment Terms: L/C,T/T,,Western Union
- Supply Ability:



📃 广州瑞港消防设备有限公司

Product Specification

Tank Coating:	Epoxy Coating
Nominal Pressure:	1.2MPa
Working Pressure:	0.6MPa
Bladder Max. Operating Pressure:	0.6MPa
Tank Volume:	1-18 m³
Tank Test Pressure:	1.2MPa
Tank Color:	Red
Strength Test:	1.5MPa
L Barla Barlata	

Highlight: Industrial Grade Foam Bladder Tank,
Red Foam Bladder Tank



Product Description:

The Proportioning Foam Bladder Tank is a high-quality and reliable solution for fire suppression systems, specifically designed for use in oil fire scenarios. This foam tank is equipped with advanced features to ensure efficient and effective fire suppression, making it an essential component for industrial and commercial facilities.

One of the key attributes of the Proportioning Foam Bladder Tank is its impressive strength, as demonstrated by the 1.5MPa strength test. This ensures that the tank is durable and able to withstand the rigors of demanding fire suppression applications, providing long-lasting performance and reliability.

The foam ratio of 3% in this tank is optimized to deliver the right concentration of foam for efficient fire suppression. This ensures that the foam is effective in extinguishing oil fires, making the Proportioning Foam Bladder Tank an essential tool for protecting assets and personnel in industrial settings.

Additionally, the tank is designed to withstand high pressures, with a tank test pressure of 1.2MPa and a working pressure of 0.6MPa. This makes the tank suitable for handling the intense demands of fire suppression operations, ensuring that it performs reliably when needed most.

The Proportioning Foam Bladder Tank is built to be a corrosion-resistant foam tank, ensuring that it can withstand the harsh conditions often present in industrial environments. This feature enhances the longevity of the tank and ensures that it remains effective in protecting against fire hazards over the long term.

As a foam tank specifically designed for oil fire scenarios, the Proportioning Foam Bladder Tank is an essential tool for facilities where the risk of oil fires is a concern. Its reliable performance and efficient foam delivery make it a valuable asset for protecting critical infrastructure and assets from the devastating impact of fires.

In addition to its durability and performance, the Proportioning Foam Bladder Tank is designed with safety in mind. The bladder max. operating pressure of 0.6MPa ensures that the tank operates within safe limits, reducing the risk of accidents and ensuring the protection of personnel working in the vicinity of the tank.

Overall, the Proportioning Foam Bladder Tank is a high-quality and reliable pressure foam tank that is essential for fire suppression systems in industrial and commercial settings. With its impressive strength, optimized foam ratio, and corrosion-resistant design, this tank provides effective protection against the dangers of oil fires, making it a valuable asset for any facility concerned with fire safety.

Features:

Product Name: Proportioning Foam Bladder Tank Pressure Relief Valve: Included Color: Red Foam Ratio: 3% Strength Test: 1.5MPa Bladder Max. Operating Pressure: 0.6MPa

Technical Parameters:

Tank Color	Red
Strength Test	1.5MPa
Tank Coating	Epoxy Coating
Foam Ratio	3%
Tank Test Pressure	1.2MPa
Color	Red
Working Pressure	0.6MPa
Nominal Pressure	1.2MPa
Pressure Relief Valve	Included

Applications:

RUIGANG's Stable Pressure-type Proportioning Mixing Equipment, model PHYML, is a versatile industrial foam tank designed for a variety of product application occasions and scenarios. Manufactured in Guangzhou, China, this foam bladder tank is certified with CCCF/ISO standards, ensuring quality and reliability.

Whether it's for Building Fire Pressure Proportion Mixer systems or other fire protection applications, the RUIGANG foam bladder tank is a reliable choice. The tank's red color not only adds visibility but also signifies its high foam ratio of 3%, making it efficient in suppressing fires.

With a working pressure of 0.6MPa and a tank test pressure of 1.2MPa, this foam bladder tank is built to withstand demanding conditions and provide consistent performance. The minimum order quantity is 1 set, and the price is open for negotiation, offering flexibility for different project requirements.

Customers can expect a delivery time of 15-20 working days, with payment terms available in L/C and T/T. RUIGANG ensures a supply ability of 500 sets per month, making it suitable for both small-scale and large-scale projects.

Whether it's for industrial facilities, commercial buildings, or other fire protection systems, the RUIGANG foam bladder tank excels in

providing reliable and efficient foam proportioning. Its versatility and quality make it a valuable asset in ensuring fire safety and protection.



Packing and Shipping:

Product Packaging for Proportioning Foam Bladder Tank: The proportioning foam bladder tank will be securely packaged in a durable cardboard box to ensure safe transportation and delivery. Shipping Information: Shipping Method: Standard Ground Shipping Shipping Weight: 50 lbs Shipping Dimensions: 24" x 18" x 12"

